1967

GENUINE JOHN DEERE PARTS

SERVE YOURSELF...KEEP YOUR EQUIPMENT 100% JOHN DEERE





The prices shown in this catalog are the suggested resale prices of the manufacturer. All specifications and prices are subject to change without notice.

Why you should buy Genuine John Deere Parts

At one time or another, you undoubtedly have thought—"Why should I buy Genuine John Deere Parts? Are other parts just as good? Could I save money?"

It's only natural to think these things . . . to want to stretch your dollars as far as possible. There are several basic reasons why **Genuine John Deere Parts** are superior . . . reasons you should know:

1. **John Deere Parts are designed by skilled engineers who know the requirements of the parts.**
2. **John Deere Parts are field tested to assure durability and long life.**
3. **John Deere Parts are made of high-quality materials . . . by skilled workmen who know their jobs.**
4. **John Deere Parts are made with modern precision manufacturing methods.**
5. **John Deere Parts must pass rigid quality inspections.**

Summing it all up in a single phrase, John Deere Parts are exact duplicates in fit, in quality, in performance of the original parts they replace.

NEW! TRACTOR RADIO

Enjoy greater pleasure as you work with a new John Deere tractor radio. Check these features:

MODERN FUNCTIONAL DESIGN
COMPACT, LIGHT WEIGHT
CADMIUM-PLATED STEEL CASE
WATERPROOF CONSTRUCTION
SLANTED DIAL AND SPEAKER
RECESSED DIAL
LOW POWER REQUIREMENT
SIMPLE CONTROLS
RESISTS FARM CHEMICALS
PROTECTIVE LID
SPRING-MOUNTED ANTENNA

Here's a practical gift for the man at your house. See us for full details on how to install this value-packed radio on your tractor.

Description	Part No.	Price
Radio with Antenna & Mounting Bracket	AR40947	**$64.50**
Extra Mounting Bracket Kit	AR41754	**3.50**
Antenna Bracket (Tractors with Cabs)	AR40948	**5.00**

This John Deere 1967 GENUINE PARTS BOOKLET is made available to help you check your equipment easily and quickly for necessary parts. Make a list of the parts needed. Keep a few "spares" on hand for fast field repairs.

We maintain a large stock of Genuine John Deere Parts, so dependable replacements can be made quickly and accurately. Our service shop is also equipped to handle tractor and implement problems—whether it be tune-ups, major overhauls, or emergency service.

Don't accept substitute parts, or any guesswork on your service requirements—come to us for reliable and careful attention to your parts and service needs. See us on your next trip to town.

INDEX

Tractor Parts

	Page
Accessories, Tractor	15
Air Cleaners, Pre-Cleaners and Pre-Screeners	10
Batteries and Cables	12, 13
Belts	14
Bonding, Adhesive	4
Brake Shoes, Linings, and Springs	4
Carburetor Choke and Service Kits	10, 11
Cigarette Lighter	12
Clutch Facings	4
Coils, Distributor	12
Conditioner, Summer Engine Coolant	7
Cylinder Blocks	8
Distributor Points, Condensers	12
Fan Bearing Kit	8
Fuel Bowls and Filter Element	10
Fuel Convertor Kits, L.P. Gas	11
Fuel Tank Caps	6
Gasket Sets	7
Glow Plugs	11
Hose Clamps	6
Hydraulic Cylinders, Hoses, Couplings and Plugs	14
Lamps, Bulbs and Lens	13
Lube, Steering Gear	6
Magneto Tune-up Kit	12
Mufflers, Covers and Extensions	3
Oil	6
Oil Filter Elements	3
Pistons and Rings	8, 9
Radiator Caps, Hoses, and Clamps	6, 7
Radio	2
Roll-Gard with Seat Belts and Canopy	15
Seat Covers, Arm Rests and Backs	5
Seat Cushions	4, 5
Spark Plugs and Cables	11
Starting Fluid	7
Umbrellas and Sun Shades	15
Valves, Guides, Springs, Rotators	8, 9
Voltage Regulator	12
Weather Brakes, Shields and Cabs	14

Implement Parts

	Page
Baler Parts	25, 26
Bearings, Anti-Friction	18
Beet Harvester Parts	36
Blades, Coulter, Disk and Grain Drill	18
Chain, Roller and Steel (Also Tools)	37, 38
Chisels and Spikes	23, 24
Clevises	38
Combine Parts	30, 33
Corn Picker Parts	35
Cotton Picker Parts	36
Cover Chain, Drills	20
Forage Harvester Parts	25, 26
Graphite, Lubricating	19
Grease Fittings	39
Gyramor Parts	37
Hardware, Standard	38, 39
Lister Shares	17
Loctite Sealant	38
Lubricants	20
Mill, Sheller, Silo Unloader and Grinder Mixer Parts	34
Moldboard, Pads, Landsides, Root Cutters, and Shins	16, 17
Mower Parts	28, 29
Multi-Luber Parts Kits	20
Oilers, Pump	38
Paint	40
Pins, Hitch	38
Planter Parts	19
Plowshares	16
Potato Digger Parts	16
Rake Parts	27
Runners and Wear Shoes, Spring-Tooth Harrows	17
Shanks, Standards and Clamps	23, 24
Sprayer Parts	20, 21
Spreader Parts	34
Spring Teeth	22, 24, 27
Storage Protection Kit	37
Sweeps and Shovels	22, 24
Teeth, Spike and Spring-Tooth Harrows	17
Tire Pump	37
Tires, Press and Gauge Wheel	19, 24
Tool Box	38
Toys	40
Trashboards, Plow	16
Tubes, Neoprene	19
V-Belts	37
Weed Hooks	17
Weeding Knives	24
Windrower Parts	33

Copyright Deere & Company 1965, 1966, 1967



ECONOMY MUFFLERS

These economy mufflers are made of aluminized steel for long life at low cost. The special baffle design provides positive muffling and helps regulate back pressure to allow valves greater freedom and permit engine to deliver full horsepower. Don't buy a "straight-through" muffler. See us.

Tractors	Muffler	Price
B, 50, 520	R21827R	$5.05
A, G, 60, 70, 620, 720	R21826R	5.30

ROUND MUFFLERS

Stainless steel center tube and baffle outlast others two to one

John Deere Mufflers are carefully manufactured from a highly heat-resistant and non-corrosive material to insure greater capacity and longer service. The arc-welded seams are gas and watertight to last longer and insure quieter exhaust. The greater baffle area screens out the noise, dissipates heat faster, and deadens live sparks. A coat of heat-resistant paint protects the outer surface. You can depend on John Deere Mufflers to outlast "ordinary" mufflers two to one.

Tractor		Muffler	Price
A, G, 60, 70, 620, 720	14-½" High	AA472R	$ 8.11
	21" High	AA2214R	9.25
	23-⅞" High	AF3770R	9.25
B (After Serial No. B96000)		AB2700R	8.45
D		AD1203R	14.46
50, 520		AB4486R	8.46
M, MT, 40		AM364T	6.08
R, 80, 820		AR327R	8.67
320 (To Serial No. 329999)		AM364T	6.08
330 (After Serial No. 330000)	Vertical	AT10646T	8.34
330, 1010 Gas	Horizontal	AT10899T	11.96
420 (To Serial No. 135025)		AM3101T	13.56
420 (After Serial No. 135026)	Vertical	AT10646T	8.34
430 Vertical		AT10646T	8.34
420, 430	Horizontal	AM3224T	15.80
1010 Gas	Vertical	AT10646T	8.34
1010 Diesel (To Serial No. 31000)	Vertical	AT12460T	10.58
1010 Diesel (Except Crawler) (To Serial No. 31000)	Horizontal	AT16829T	13.32
1010 Diesel (After Serial No. 31001)	Vertical	AT16380T	10.77
	Horizontal	AT16382T	18.61
1010	Underneath	AT12460T	10.58
1020 RU, HU, 2020 RU, HU	Underneath	AT21795	19.43
1020 LU, 2020 LU	Underneath	AT21914	19.90
2010 Diesel (To Serial No. 29000)	RU, H	AT12460T	10.58
	R, C	AT13310T	12.03
	Underneath	AT14167T	19.35
2010 Diesel (After Serial No. 29001)	Vertical	AT16380T	10.77
	Underneath	AT14167T	19.35
2010 Gas	RU, H	AT12460T	10.58
	R, C	AT13310T	12.03
	Horizontal	AT16829T	13.32
2510 Series		AR38383	12.96
3010, 3020 Except Diesel		AR26786R	15.11
3010 Diesel (To Serial No. 1T6643)		AR26786R	15.11
3010 Diesel (After Serial No. 1T6644), 3020 Diesel		AR30189R	16.92
4010, 4020 Except Diesel		AR26640R	15.72
4010 Diesel (To Serial No. 2T7027)		AR26640R	15.72
4010 Diesel (After Serial No. 2T7028), 4020 Diesel		AR30190R	17.65
5010, 5020 Diesel		R35637R	26.28

MUFFLER COVERS *keep out rain and moisture*

These streamlined muffler covers automatically close the exhaust opening whenever the tractor engine is stopped. The slightest exhaust pressure raises the cover. Keeping moisture from entering the exhaust helps prevent rusted-out mufflers, and protects engine parts. Simple and easy to install.



Tractor	Cover	Price
A, D, G, 60, 70, 620, 720	AF3943R	$3.26
B, 50, 520	AB5558R	2.38
M, 40	AT10610T	2.11
R, 80, 820, 830	AR21283R	3.26
830 (With R20934R Extension)	AR21911R	3.85
530	AR21281R	3.26
630, 730	AR21282R	3.26
1010 Gas	AT567T	2.11
1010 Diesel, 2010, 1020, 2020, 2510	AT10611T	2.11
3010, 3020, 4010 4020	AR30005R	3.85
3010, 3020, 4010, 4020 (w/ Extension)	AR30753R	3.85
5010, 5020	R36453R	5.37
5010, 5020 (w/Extension)	R36454R	5.37

OVAL MUFFLERS

Super silent . . . maximum visibility

The oval muffler was designed to handle the increased volume and hotter exhaust gases caused by increased tractor horsepower. The greater area of the oval muffler means a 30% reduction of muffler noise. The aluminized steel center tube and baffle plate, faster dissipation of heat, and special heat-resistant paints contribute to extended muffler life. Oval mufflers are available for older tractors—check the chart below:

Tractor	Muffler	Price
M, 40,	AM2219T	$26.40
50, 520, 530	AR20449R	15.91
60, 70, 620, 630, 720, 730	AR20450R	16.66
320 (To Serial No. 329999)	AM2219T	26.40
330 (After Serial No. 330000), 420, 430	AM3246T	20.55
830	AR21805R	15.72
1020	AT21689	21.79
2020	AT21690	21.79

MUFFLER EXTENSIONS

The muffler extension directs exhaust fumes up high and away from the operator. It can be quickly attached and is securely held to the muffler by a clamp.

Tractor	Extension	Price
R, 80, 820	AR1032R	$5.21
830	AR21086R	5.21
1020, 2020, 2510	AR38397	5.21
3010, 3020, 4010, 4020	AR27090R	5.10
5010, 5020	AR36288	8.87

OIL FILTER ELEMENTS

Save repair bills . . . reduce wear

Buy the filter element made especially for John Deere. This element properly filters the oil to reduce engine wear, save costly repair bills, and prolong engine efficiency.

The generous amount of resin-treated paper used provides a large-filtering area. This element also resists heat, water, and acid; yet will not remove additives and detergents. Buy a supply today—keep them on hand!

Tractor	Element	Price
A, B, D, G, R, 50, 60, 70, 520, 530, 620, 630, 720, 730, 3010, 3020, 4010, 4020, (Crankcase)	(Ctn of 4) AR28110R	$ 4.52
M, 40, 320, 330, 420, 430, (1010, 2010 Up to Serial No. 42000) (Crankcase)	(Ctn of 4) AH1111RT	3.75
2010 (Transmission)	AT21513	12.20
2010 (HLR Transmission—under Case)	AT15282T	2.56
80, 820, 830, 840, 1020, 2020, 2510, 3010, 3020, 4010, 4020, 5010, 5020 (Transmission)	(Ctn. of 2) AR28271R	4.39

DISPOSABLE OIL FILTER $2.56

This is a complete oil filter (case and element) in one convenient unit designed for John Deere Engines. Complete unit is disposable and can be replaced quickly and easily.

Tractor	Element
1010, 2010 Crankcase (After Serial No. 42001), 2510, 1020, 2020	T19044T

PULLEY BRAKE LINING WITH ADAPTER 97¢

Saves time . . . no riveting



Here's a time saver. The pulley brake lining with adapter is attached in a jiffy without riveting. Simply replace the old lining by bending over the clamps at the sides and ends of the adapter and you're ready to go.

Tractor	Lining
A, B, D, G, R, 50, 60, 70, 80, 520, 530, 620, 630, 720, 730, 820, 830	AB4748R



BRAKE SHOES AND LININGS

Brake shoes complete with linings or sets of brake linings with rivets are available to completely recondition your brakes. John Deere Brake Linings are high-grade asbestos to resist heat and provide safe, smooth stops. A tough, flexible bonding agent holds the lining material together under the heaviest loads. Extra-big rivets with wide, flat, countersunk heads positively hold the linings from loosening or pulling out.

For quick, safe stops and dependable braking on sharp turns, install new John Deere Brake Linings.

Tractor	Brake Shoe with Lining	Price	Set of Linings with Rivets	Price
A, G, 60, 70H, 70DH, 620H, 630H, 720H, 720DH, 730H, 730DH	AA314R	$3.65	AA4253R	$3.86
B to Ser. No. B200999	AB279R	2.82	AB3848R	3.13
B After Ser. No. B201000, 50	AB3833R	2.82	AB3849R	3.53
R, 70, 70D, 80, 520, 530, 620, 630	AR483R	4.40	AR604R	5.40
720, 730, 730D, 820, 830 (Except Hi-Crop)	AF2789R	5.01	AF2866R	5.06

BRAKE SHOE RETURN SPRINGS

Get snappy return of brake pedal and save unnecessary wear on brake linings . . . buy the exact spring with proper tension from us.

Tractor	Spring	Price
A, G, R, 60, 70, 80, 520, 530, 620, 630, 720, 730, 820, 830	R21753R	48¢
B. 50	B228R	32¢

FLOATING CLUTCH FACINGS

No slippage . . . smooth performance



John Deere Clutch Facings are made of heavy-duty, wire-inserted, woven asbestos for longer life and better performance. This material operates cooler, and grips more firmly for non-slip starting and heavy pulling. Install a new set today on your tractor!

Tractor	Clutch Facing	Price
A, D, G, 60, 70, 620, 630, 720, 730	C614R	$2.42
B to Ser. No. B200999	B158R	2.14
B After Ser. No. 201000, 50, 520, 530	B2354R	2.14
R, 80, 820, 830	R256R	2.73

BONDING ADHESIVE $1.75

Ask for **AR31790R** 5 oz.-tube of bonding adhesive. This is for use in bonding materials such as metal, wood, felt, rubber, and plastic. Keep a tube handy for on-the-spot repairs.

SEAT CUSHIONS $8.26

These special, low-priced cushions are available in black or yellow. They're made of a high-grade, plastic-coated fabric that resists weathering, cracking, and tearing. The cushions are stuffed with rebonded polyether filler for comfort and long wear at a low price.

Tractors	Cushion Black	Cushion Yellow
A, B, G, R, 50, 60, 70, 80, 520, 530, 620, 630, 720, 730, 820, 830, 840	AR30180R	AR30181R

SEAT CUSHIONS—HIGH-QUALITY

Smooth riding comfort . . . durable . . . yellow or black



Long and tedious jobs seem shorter and easier when you're riding on a Genuine John Deere Seat Cushion. These are the same high-quality cushions furnished with the tractor when sold new. They provide smooth riding comfort day after day. You stay fresher and can do a better day's work. Buy a cushion from us that will reduce the bumps and jolts to "rocking-chair" comfort.

Tractor	Black Cushion	Price	Yellow Cushion	Price
REGULAR SEATS				
A, B, G, R, 50, 60, 70, 80, 520, 530, 620, 630, 720, 730, 820, 830				
Spring and Foam	AR28301R	$16.11	AR26932R	$16.11
All-Foam	AA4847R	22.60	.....	.....
M, MC, 40, 320, 330, 420, 430, 40C, 420C	AM1839T	11.79	AM3463T	11.79
1010	AT13599T	12.15	AT13222T	12.15
2010	AT13984T	12.97	AT13983T	12.97
3010, 3020, 4010, 4020	.....	.....	AR26932R	16.11
FLOAT-RIDE SEATS				
420, 430, 1010	AT10533T	9.27	.....	.....
520, 530, 620, 630, 720, 730, 820, 830 (Diesels with Cranking Engine Only)	AF3096R	13.73	AF3270R	13.73
720, 730, 820, 830 (Diesels with Electric Starting)	AR20237R	14.16	AR20238R	14.16

AIR-VENT CUSHIONS

Attractive, colorful air-vent cushions bring real comfort in hot weather, they provide ample ventilation for a cooler, more comfortable ride. They're easily and quickly installed.

Tractor	Air-Vent Cushion Seat	Price	Air-Vent Cushion Back	Price
A, After Ser. No. 584000; B, After Ser. No. B201000; G, After Ser. No. G26000; R, 50, 60, 70, 80, 520, 530, 620, 630, 720, 730, 820, 830, 2010, 3010, 4010	AF3458R	$5.04	AF3459R	$3.36
2010, 2510, 3010, 3020, 4010 4020, 5010	*AR28529R	8.35	.....	.....

*Seat and Back Assembly for Deluxe Seats.

DELUXE SEAT CUSHIONS, SEAT BACKS AND COVERS



Keep your tractor seat in first-class comfort condition by replacing that worn cushion or seat back now! Select the one needed from the list below—it's the same high quality as the one received with your new tractor.

Key No. 1—Seat Cushions

Tractor	Black Cushion	Price	Yellow Cushion	Price
1010 (To Ser. No. 31000)..	AT10533T	$ 9.27	.....	.....
1010 After Ser. No. 31001.	AT16820T	15.02	AT16817T	$15.02
420C, 430C	AT10139T	16.24	.....	.....
2010, 2510, 3010, 3020, 4010, 4020, 5010, 5020.	R34269R	19.07	R34266R	19.07

Key No. 2—Lower Seat Back

Tractor	Black	Price	Yellow	Price
1010 (To Ser. No. 31000)	AT10534T	$ 7.81	.....	.....
1010 (After Ser. No. 31001)....	AT16819T	16.68	AT16816T	$16.68
2010, 2510, 3010, 3020, 4010 4020, 5010, 5020	R34270R	19.07	R34268R	19.07

Key No. 3—Upper Seat Back

Tractor	Black	Price	Yellow	Price
1010, 2010, 2510, 3010, 3020, 4010, 4020, 5010, 5020 ...	R34271R	$6.53	R34267R	$6.53

COVERS FOR SEAT CUSHIONS AND SEAT BACKS

John Deere Covers for cushions (shown above) are made of tough yellow vinyl material that matches the covers on the tractor. This material is soft, yet tough. The quality is excellent and resists cracking, tearing, and weathering. Seams are sewn with nylon thread, double stitched. The upper seat back cover is slipped over the back and zippered. The lower seat back cover is slipped over the back, and securely fastened with snaps. The seat cushion cover is held in place by a draw string that can be securely tied on the underside. Double the life of the seat cushion and backs by installing a set today.

Tractor	Cover	Part No.	Price
2010, 3010, 4010, 5010.....	Seat Cushion	AR30789R	$5.13
	Upper Seat Back	AR30790R	3.19
	Lower Seat Back	AR30791R	9.00
2510, 3020, 4020, 5020....	Seat Cushion	R34618R	4.45
	Upper Seat Back	R34619R	3.19
	Lower Seat Back	R34620R	7.90



SEAT CUSHIONS AND BACKS

Comfort is the by-word of these cushions. They are shaped to provide the comfort needed in the right places for long periods of tractor operation. Check your cushion now, if new ones are needed see us for the cushions designed for long lasting comfort.

Tractor	Seat Cushion	Price	Back Cushion	Price
1020, 2020.....	AT20489T	$14.00	AT20434T	$18.17

SEAT-BACK CUSHIONS



$4.21

If your seat-back cushion needs replacement, buy Genuine John Deere. It is adjustable and well-constructed to give the exact amount of support and proper cushion to your back.

Tractor	Low-Priced Seat-Back Cushions Black	Yellow
A, B, G, D, R, 50, 60, 70, 80, 520, 530, 620, 630, 720, 730, 820, 830, 840....	AR21965R	AR21966R

Tractor	Regular Seat-Back Cushions Black	Price	Yellow	Price
A, B, G, R, 80.....	AB3624R	$ 6.53	.....	.....
M, 40, 320, 330, 420, 430, 435, 440 (Reg. Seat)....	AM339T	5.18	AM3462T	$5.18
420, 430, 435 (Float-Ride Seat)	AT10534T	7.81	.....	....
50, 60, 70, 80, 520, 530, 620, 630, 720, 730, 820, 830.	AA5357R	6.53	AF3271R	6.53
1010 (Reg. Seat).....	AT13600T	5.18	AT13223T	5.18
420C, 430C	AT10138T	21.91	.....	....
2010 (Reg. Seat).....	AR28302R	8.62	AT13982T	8.62
3010, 4010, 5010 (Reg. Seat)	.....	.....	AF3271R	6.53

COVERS FOR REGULAR SEAT-BACK CUSHIONS

$2.97

These easy-to-attach seat-back cushion covers provide additional comfort and improve tractor appearance.

A stiff rubber welt fits over the edge of the regular cushion backplate and can be installed over the top of the old riveted-on cover. Just a few minutes' time and a minimum of effort and the cover's on. Ask for **AR21913R** (yellow) or **AR21914R** (black).

SEAT ARM CUSHIONS FOR REGULAR SEATS

$12.58

For added driver comfort, install a set of these soft, comfortable arm rests. Made of foam-rubber, they snap quickly in place on the seat arms, and provide added protection for your hips and thighs when working on rough, hilly ground. Available in black or yellow to match your cushion.

Tractor	Pair of Seat Arm Cushions Black	Yellow
A, After Ser. No. 584000; B, After Ser. No. B201000; G, After Ser. No. G26000; R, 40, 50, 60, 70, 80, 320, 330, 420, 430, 440, 520, 530, 620, 630, 720, 730, 820, 830, 1010, 2010, 3010, 3020, 4010, 4020, 5010	AA6022R	AF3272R

COVER FOR SEAT CUSHIONS $1.96



This canvas seat cover protects the cushion against sun, grease, and dirt. Quickly installed, it will help keep that "like new" look. The cover fits snugly around the cushion, and can be quickly removed for washing.

Tractor	Cover
A, B, G, R, 50, 60, 70, 80, 520, 530, 620, 630, 720, 730, 820, 830.....	R32736R (Reg. Seat) R39860 (Float-Ride Seat Exc. Diesels with Elec. Starting) R39861 (Float-Ride Seat on Diesels with Elec. Starting)
2010, 2510, 3010, 3020, 4010, 4020, 5010.....	R34609R (Deluxe Seat)

POWER STEERING OIL

Keep your power steering in top operating condition by using the oil especially formulated for use in John Deere Tractors. This will help insure dependable service and effortless steering.

Tractor	Power Steering Oil 1 Qt.	Price	5 Gals.	Price
50, 60, 70, 80, 520, 530, 620, 630, 720, 730, 820, 830	AF2235R	84¢	AF3290R	$12.23

NOTE: A refill in 50, 520, and 530 Tractors is 3 quarts, others are 4 quarts.

SPECIAL-PURPOSE OIL FOR 1010, 1020, 2010, 2020, 2510, 3010, 3020, 4010, 4020, 5010, 5020 TRACTORS

Here is an oil especially designed for transmissions, final drives, and hydraulic systems to supply hydraulic force, lubrication, power steering, and a cooling agent for entire system. This **special** oil eliminates the need for several individual types of oil, and completely answers the many demands placed on it.

Gals.	Oil	Price
2	R34690R	$ 3.87
5	AR28425R	9.22
30	R41216	44.70
55	R31891R	73.21

HEAVY-DUTY STEERING-GEAR LUBRICANT $1.17

This is a heavy-duty lubricant for use in cam-and-lever-type steering gears and similar applications where the unit is subjected to heavy shock loads.

Lubricant	Size
AT21207	1 Pint

HOSE CLAMPS



Stainless steel . . . adjustable . . . a size for every use

We have a complete line of adjustable, worm-drive hose clamps that will fit hoses from 3/8" diameter to 4 7/16" diameter; extra strong and convenient to install or remove. Pick up an assortment on your next trip.

Hose Clamps	Price	Fits Hoses
AR21836R	27¢	3/8" to 23/32"
AR21837R	27¢	1/2" to 1"
AR21839R	30¢	3/4" to 1 11/16"
AR21840R	30¢	1 1/2" to 2 7/16"
AR21999R	34¢	2 1/4" to 3 3/16"
AR21841R	37¢	2 3/4" to 3 11/16"
AR21842R	39¢	3 1/2" to 4 7/16"
C16054	70¢	4 5/16" to 5 1/4"

RADIATOR CAPS



These rust-resistant caps include a high-quality gasket for proper sealing and resisting damage from water and acids. They fit properly and last longer. Pressure caps provide positive normal pressure sealing with a safe excess pressure release.

Tractor	Cap	Price
A, B, D, G, R, 60-O.....	AB1621R, 4 1/2" Diameter	$1.97
A, B, G.....	AA3489R, 2 3/4" Diameter (Pressure)	2.66
M, 40, 320, 330.....	AL2275T, 3 1/4" Diameter	1.18
50 (To Serial No. 5016616), 60 (To Serial No. 6030927), 70 (To Serial No. 7008450)....	AA5158R, 2 3/4" Diameter	1.53
50 (After Serial No. 5016617), 60 (After Serial No. 6030928), 70 (After Serial No. 7008451) 80, 420, 430, 520, 530, 620, 630, 720, 730, 820, 830....	AA5757R, 3 1/8" Diameter (Pressure)	2.30
1010	AT13989T	1.40
2010 (Except Crawler), 2510, 3010, 3020, 4010, 4020, 5010, 5020	AR28482R w/R27209R Cover	4.04
1020, 2020	AT20719, 3 1/2" Diameter	1.73

FUEL TANK CAPS



These caps are produced to exacting original tractor specification, and are easy on, easy off. They have a long-lasting surface finish . . . positive seal to keep out dust and dirt.

Tractor	Cap	Price
A, B, D, G, Early 50, 60, and 70	AD709R, Fits 1 3/4" Opening	$ .98
Late 50, 60, 70, 320 Ser. No. 325108 and Up, 330, 420 Ser. No. 126977 and Up, and 430, All 520, 530, 620, 630, 720, and 730.....	AF2914R, Fits 1 1/2" Opening	1.28
M, 40, 320 to Ser. No. 325107, 330, 420 to Ser. No. 126976, 430	AM3892T, Baffle Type, 2" High	2.80
R, 80, 820, 830.....	AR369R	1.92
1010, 2010, *3010, *4010, *3020 (To Serial No. 68000) *4020 (To Serial No. 91000) *5010 (To Serial No. 8000).	AR28483R w/R27183R Cover	2.92
*When AR36359, AR39586, AR39587 or AR39588 fuel tanks have been installed use	AT20911	.92
1020, 2020, 2510, 3020 (After Serial No. 68000), 4020 (After Serial No. 91000), 5010 (After Serial No. 8000).....	AT20911	.92
5020	AR36752	2.55

"Only Genuine John Deere Parts Fit and Wear Like the Originals"

RADIATOR HOSES



Protect your cooling system with new heavy-duty molded rubber hose for longer life. We have a complete selection, and also the necessary clamps if they need replacing.

Tractor	Radiator Hoses Upper	Price	Lower	Price
A	A446R	$1.06	*A445R	$ .54
B to Ser. No. B95999	B406R	.81	B402R	.51
B, Ser. No. B96000 to B200999	B1808R	.84	B1812R	.64
B, After B201000	A446R	1.06	†B2610R	1.45
G	F374R	1.23	F89R	.79
M, 40, 320, 330	M263T	.64	L4576T (2)	.48
420, 430 (Gasoline)	M3107T	.75	M3120T	.98
1010 (Diesel) All, Except Crawler	T13762T	.38	T12421T	.46
1010 (Gasoline) All, Except Crawler	T12990T	1.02	T12421T	.46
1020 Gas	T22501T	1.68	T22497T	1.63
1020 Diesel	T23534T	1.68	T22500T	2.23
2010 to Ser. No. 27326	T12990T	1.02	T12421T	.46
2010 After Ser. No. 27327	T12990T	1.02	T13762T	.38
2020 Gas	T22496T	1.63	T22497T	1.63
2020 Diesel	T23533T	1.90	T22500T	2.23
2510 Gas	R38310	1.95	R38311	1.95
2510 Diesel	R38312	1.30	R38313	2.06
3010, 3020, 4010, 4020	R26475R	1.54	R26472R	3.27
5010, 5020	R35304R	2.56	R35305R	3.08

*Order A4286R if Water Pump has been Installed.
†Order B77R if Water Pump has been Installed.

THERMOSTATS

Keep your engine running at proper temperatures to help prolong engine life. If your thermostat needs replacing, see us for the one matched to your cooling system requirements. Remember that a corroded or defective thermostat can cause serious damage.

Tractors	Heat Range	Thermostat	Price
1010, 2010, 1020, 2020, 2510	180°F-195°F	AT22961	$2.73
	160°F-182°F	AT10996T	3.08
3010, 3020, 4010, 4020, 5010, 5020	180°F-202°F	R36846R	3.21
	160°F-180°F	R36847R	3.21

SUMMER ENGINE COOLANT CONDITIONER $2.10

Here's protection for engine cooling systems during warm temperatures when water is used as the coolant. Prevents rust and corrosion for 12-month periods. Ask for **Coolant T19566T** in 32 oz. can. Check the chart below for quantity needed:

Capacity Cooling System	Cans Needed
Up to 16 qt.	One
17 to 37 qt.	Two
Above 37 qt.	Three

STARTING FLUID

87¢

Improves starting by injecting fluid (ether) directly into the intake manifold. Prolongs battery life for easier starting in cold weather. Part No. **AR27814R.**



GASKET SETS

Valve replacement . . . engine tune-up . . . governor overhaul . . . carburetor overhaul

All gaskets necessary for valve replacement, engine tune-ups, governor and carburetor overhaul are packaged in complete sets for easy, low-cost tractor maintenance. Same as original equipment, these gaskets are made of the best materials available for their particular application. Each gasket is the proper size for exact fit to insure correct sealing. Additional gasket sets for complete engine, transmission, and rear-end overhaul also available.

Tractor	Gasket Set Valve Replacement	Price	Governor Overhaul	Price
A, to Ser. No. 487999	AR21779R	$3.72	AA4292R	$2.21
A, Ser. No. 488000-583999	AR21780R	4.66	AA4293R	1.92
A, After Ser. No. 584000	AR21781R	4.74	AA4294R	3.63
B, Ser. No. B96000-B200999	AR21782R	4.03	AB3886R	1.27
B, After Ser. No. B201000	AR21783R	4.18	AB3887R	2.00
D	AR21785R	6.54	AD2681R	3.24
G, After Ser. No. G7100	AR21786R	5.26	AF1079R	3.11
50	AR21784R	5.96	AB4678R	2.80
60	AA7421R	8.07	AA5368R	4.02
70 Gas	AR21787R	7.70	AF1683R	3.33
70 Diesel	AF3907R	9.24	AF2244R	2.97
80, 820, 830	AR1888R	9.43	.....	....
520, 530	AB5559R	5.01	AB5365R	2.72
620, 630	AA7354R	6.13	AA6850R	3.38
720, 730 Except Diesel	AF3920R	8.25	AF3333R	3.44
720, 730 Diesel	AF3907R	9.24	AF2244R	2.97
	Cylinder Head Replacement		**Oil Pan Replacement**	
3010 Except Diesel	AR34234R	$11.79	AR30544R	$3.87
3010 Diesel	AR34235R	11.74	AR30544R	3.87
3020 Except Diesel	AR34234R	11.79	AR30544R	3.87
3020 Diesel	AR34235R	11.74	AR30544R	3.87
4010 Except Diesel	AR40574	15.17	AR30547R	5.88
4010 Diesel	AR34237R	15.32	AR30547R	5.88
4020 Except Diesel	AR40574	15.17	AR30547R	5.88
4020 Diesel	AR34237R	15.32	AR30547R	5.88
5010 Diesel	AR36909	10.90	AR36073	8.33
341 Engine	AR34237R	15.32	AR30547R	5.88
404 Engine	AR40574	15.17	AR30547R	5.88
5010 Diesel	AR36909	10.90	AR36073	8.33

Tractor	Engine Tune-Up Gasket Set	Price
M, 40, 320, 330	AM808T	$ 3.31
420, 430	AM3189T	3.99
1010 (Gas)	AT21152	10.45
1010 (Diesel)	AT16576T	9.61
2010 (Gas and LP)	AT21153	10.29
2010 (Diesel)	AT16570T	9.61
1020 Diesel	AT21626	6.04
1020 Gas	AT21624	6.20
2020, 2510 (Diesel)	AT21627	7.19
2020, 2510 (Gas)	AT21625	7.09

Tractor	Carburetor Overhaul Gasket Set	Price
A, B, G, 50, 60	AA4991R	$1.25
D	AD2865R	1.05
50, 60, 70, 520, 530, 620, 630, 720, 730 with Double Induction	AA6343R	1.25
M, 40, 320, 330, 420, 430, 1020, 2010, 2020	16-654	.55
1010	AT14650T	.65
3010, 3020, 4010, 4020 (Gas)	AR10109R	1.65

FAN FRONT BEARING KIT

For tractors without power steering

Includes all necessary parts — bearings, packings, retainers, and washers — to replace the front fan bearing. Restore your fan shaft to original efficiency.



Tractors	Kit	Price
*A, *B, 50, 60, 520, 530, 620, 630	AA6240R	$7.27
G, 70, 720, 730	AF2319R	7.09

*A Ser. No. 584000-647999, and B Ser. No. B201000-B258519 Order AA6239R Kit at **$7.55.**

"Only Genuine John Deere Parts Fit and Wear Like the Originals"



CYLINDER BLOCKS AND PISTONS

John Deere cylinder blocks and pistons provide the best engine efficiency and economy of operation. They are designed specifically for each tractor's requirement.

Beware of "souping up" your John Deere Tractor by installing extra diameter or extra length pistons in oversize blocks to gain more power. This can cause increased fuel consumption, unnecessary spark plug replacement, overload on transmission and final drive parts, and excessive detonation. See us for the replacement parts designed to give you the most economical power!



EXHAUST VALVE ROTATORS

Cooler operation . . . longer valve life

Rotating the exhaust valves each time they open and close helps prevent burning and sticking. Valves operate cooler and last longer. A new spring is required when rotators are installed to insure proper spring pressure.

Tractors	Rotator	Price	Insert LP-Gas	Price	Spring	Price
A, 60	AA6024R	$2.73	A5296R	$4.62	A4936R	$ .68
B, 50	AB4777R	2.82	B3416R	2.97	B3331R	.60
70	AA6024R	2.73	A5296R	4.62	F1114R	.89
520, 530	AB5168R	2.96	B3756R	2.28	B3751R	.68
620, 630	AA6024R	2.73	A5708R	3.72	A4936R	.68
720, 730	AA6024R	2.73	F3168R	3.29	F1114R	.89
1010, 2010 (Gas)	AT20661T	2.01	T10072T	4.74	T555T	.47
1020, 2020, 2510	T20287T	2.05	.....	....	R26125R	.62
3010, 3020, 4010, 4020 (Exc. Diesel)	AR26336R	2.00	R34593R	4.50	R26110R	.56
3010, 3020, 4010, 4020 (Diesel)	AR26337R	2.00	.....	....	R26125R	.62

PISTON RING SETS

Sluggish tractor performance, lost power, and excessive oil consumption are definite symptoms of worn-out rings. The quality of the rings, proper size, and type are the most important factors of a satisfactory ring job. Only one type of ring is factory-approved for John Deere Tractors — Genuine John Deere Piston Rings. These Genuine Rings assure correct compression and oil control. They are built for longer life, greater economy and dependable performance. Don't accept substitutes; insist on Genuine John Deere Piston Rings which are tailor-made for the job requirements.

Tractor	Ring Sets for Two Pistons: Standard	Price	.045" O.S.	Price
A, 60 (Gas)	AA4922R	$ 7.77	AA4923R	$ 7.77
B Ser. No. B96000-B200999 (Gas)	AB3982R	4.62	AB3983R	4.62
B After Ser. No. B201000 (Gas)	AB4039R	6.47	AB4040R	6.47
D	AD2032R	10.11	AD2033R	10.11
G	AF763R	9.20	AF764R	9.20
M, 40, 320, 330	AM1625T	4.33	*AM1637T	4.33
			§AM1638T	4.33
R	AR1046R	22.98	AR959R	22.98
80, 820, 830 to Ser. No. 8203099	AF2224R	18.25	AF2225R	18.25
820, 830, After Ser. No. 8203100	AF3768R	22.48	AF3769R	22.48
50 (Gas)	AB4958R	9.14	AB4959R	9.14
70 (Gas)	AF2376R	11.43	AF2377R	11.43
70 (Diesel)	AF2224R	18.25	AF2225R	18.25
420, 430 (Gas)	AM3039T	9.88	*AT11907T	9.88
			§AT11908T	9.88
520, 530	AB5319R	11.43	AB5320R	11.43
620, 630	AA6819R	15.13	AA6820R	15.13
720, 730 (Except Diesel)	AF3312R	18.66	AF3313R	18.66
720, 730 to Ser. No. 7214899 (Diesel)	AF2224R	18.25	AF2225R	18.25
720, 730, After Ser. No. 7214900 (Diesel)	AF3768R	22.48	AF3769R	22.48
1010 (Gas)	AT14700T	7.85	*AT14701T	7.85
1010, to Ser. No. 42000 (Diesel)	AT14702T	10.89	*AT14703T	10.89
1010, After Ser. No. 42001 (Diesel)	AT17693T	11.16	AT17694T	11.16
1020, 2020, 2510 (Gas)	†AT18006T	5.53	.....	.....
1020, 2020, 2510 (Diesel)	†AT18012T	10.89	.....	.....
2010 (Gas and LP-Gas)	AT14702T	10.89	*AT14703T	10.89
2010, Up to Ser. No. 39018 (Diesel)	AT14706T	10.89	*AT14707T	10.89
2010, After Ser. No. 39019 (Diesel)	AT17695T	11.16	*AT17696T	11.16
3010, 4010 (Gas and LP-Gas)	†AR27851R	5.37	.....	.....
3010, 4010 (Diesel)	†AR39860	7.59	.....	.....
3020, 4020 (Gas)	†AR33994R	5.37	.....	.....
3020, 4020, (LP)	†AR34394R	5.37	.....	.....
3020, 4020 (Diesel)	†AR40145	9.77	.....	.....
5010, 5020	†AR36210	7.85	.....	.....

*.020" Oversize.
†Set for One Piston only.
§.040" Oversize.

PISTONS



Some parts suppliers have available unapproved extra-length pistons for John Deere Engines that develop extremely high compression ratios in the anticipation of getting more horsepower. The higher compression ratios created by longer pistons oftentimes cause excessive detonation (ping), pitting and burning of the piston head, and actually a loss of power instead of an increase. Furthermore, these pistons cost much more than the Genuine for replacement. There is usually an additional cost resulting from the premature failure of cylinder head gaskets, valves, and spark plugs due to the excessive heat and pressure.

To make sure you receive pistons that will give satisfactory service as well as pistons that are especially designed for your engine, buy only Genuine John Deere Pistons.

Tractors	Two Pistons with Rings: Standard w/Pins	Price	.045" O.S. w/o Pins	Price
A (Gas) to Serial No. 584000	AA4589R	$51.28	AA4590R	$43.83
A (Gas) Serial No. 584000 and Up	AA4338R	51.28	AA4340R	43.83
AR, AO, 60	AA4338R	51.28	AA4340R	43.83
B (Gas) to Serial No. 201000	AB3992R	38.45	AB3993R	33.72
B (Gas) Serial No. 201000 and Up	AB3920R	41.54	AB3922R	36.82
D	AD2690R	62.39	AD2691R	52.90
G (Less Piston Pins)	AF1324R	51.18	AF1325R	51.18
R	AR1059R	132.60	AR749R	120.45
50	AB4641R	44.11	AB4687R	39.41
70 (Gas)	AF2332R	93.81	AF2335R	84.83
70 (Diesel)	AF3760R	169.67	AF3762R	160.70
80, 820, 830, to Serial No. 8203100	AR1820R	169.67	AR1822R	160.70
820, 830, Serial No. 8203100 and Up	AR1821R	169.67	AR1823R	160.70
520, 530	AB5315R	58.58	AB5317R	54.18
620, 630	AA6815R	76.10	AA6817R	69.09
720, 730 (Gas)	AF3308R	94.20	AF3310R	85.20
720, 730 (Diesel)	AF3761R	169.67	AF3763R	160.70

Tractors	One Piston less Rings and Pins: Standard	Price	.020" O.S.	Price	.040" O.S.	Price
M, 40, 320, 330	M1837T	$16.16	M1838T	$16.16	M1839T	$16.16
420, 430 (Gas)	M3043T	17.66	M3880T	17.66	M3881T	17.66
420, 430 (All-Fuel) (To Serial No. 448000)	M3452T	17.66	M3882T	17.66	M3883T	17.66
1010 (Gas)	T13057T	7.48	T15912T	7.48	.....	.....
1010 (Diesel)	T19061T	8.16	T19393T	14.39	.....	.....
2010 (Gas)	T12382T	8.16	T15911T	8.16	.....	.....
2010 (LP-Gas)	T12556T	10.27	T15909T	12.74	.....	.....
2010 (Diesel)	T19063T	10.27	T19395T	14.39	.....	.....
1020, 2020, 2510 (Gas)	T23504T	9.90	.....	.....	.....	.....
1020, 2020, 2510 (Diesel)	T23481T	10.04	.....	.....	.....	.....
3010, 4010 (Gas)	*AR39764	16.04	.....	.....	.....	.....
3010, 4010 (LP-Gas)	*AR39765	16.04	.....	.....	.....	.....
3010, 4010 (Diesel)	*AR39859	19.76	.....	.....	.....	.....
3020, 4020 (Gas)	*AR39769	15.66	.....	.....	.....	.....
3020, 4020 (LP-Gas)	*AR39770	15.99	.....	.....	.....	.....
3020, 4020 (Diesel)	*AR40254	19.41	.....	.....	.....	.....
5010 (Diesel)	*AR36872	23.32	.....	.....	.....	.....
5020 (Diesel)	*AR36836	27.28	.....	.....	.....	.....

*Piston with Rings

VALVES, GUIDES, SPRINGS, AND LOCKS

Smoother operation . . . lower fuel costs

John Deere Valves are carefully designed and tested for each individual tractor to give maximum performance and economy. They are made from a special alloy steel that resists distortion, corrosion, and pitting at high operating temperatures. The valves are hardened to give long life and dependable service.

Tractors	Valves: Intake	Price	Exhaust	Price	Guide	Price	Spring	Price	Lock	Price
A, After Ser. No. 488000; 60	A4193R	$4.60	A3618R	$5.71	A2467R	$1.50	A356R	$ .81	A2332R	$ .08
B, After Ser. No. B96000; 50	B2863R	3.41	B2503R	4.03	B1927R	.85	B1794R	.68	B1797R	.28
D	D3411R	10.15	D3411R	10.15	D1719R	2.02	D1724R	.95	D1720R	.46
G, After G13000, 70 (All-Fuel)	F577R	4.52	F578R	8.19	F727R	2.08	F53R	1.18	D1720R	.46
M, 40, 320, 330	M100T	2.29	M101T	3.01	M40T	1.37	M102T	.47	B367R	.08
R, 70 (Diesel)	R57R	3.73	F3214R	6.25	A2467R	1.50	A356R	.81	A2332R	.08
70 (Gas and LP)	F1219R	5.12	F1220R	6.25	F1222R	1.43	F1114R	.89	A2332R	.08
80, 820, 830	R1336R	4.08	R1337R	5.28	A2467R	1.50	R1338R	1.18	A2332R	.08
420, 430 (Gas)	M3153T	2.28	M3154T	3.29	M3036T	1.23	M102T	.47	B367R	.08
520, 530 (Gas)	B3749R	2.92	B3750R	2.92	B3757R	1.44	B3751R	.68	B367R	.08
620, 630 (Gas)	A5627R	4.60	R20246R	5.13	A5707R	1.69	A4936R	.68	A2332R	.08
720, 730 (Except Diesel)	F2708R	5.12	R20247R	5.13	F3169R	1.44	F1114R	.89	A2332R	.08
720, 730 (Diesel)	F3213R	3.26	F3214R	6.25	A2467R	1.50	F2143R	1.18	A2332R	.08
1010 (Gas); 2010 (Gas and LP)	T12356T	2.28	T12357T	3.29	T556T	.99	T555T	.47	T167T	.07
1010 (Diesel) (-13071)	T12873T	2.28	T11217T	3.29	T11211T	1.23	T555T	.47	T167T	.07
1010 (Diesel) (13072-)	T15686T	2.28	T15685T	3.29	T15683T	1.02	T555T	.47	T167T	.07
2010 (Diesel) (-10719)	T12873T	2.28	T11217T	3.29	T11211T	1.23	T555T	.47	T167T	.07
2010 (Diesel) (10720-)	T15686T	2.28	T15685T	3.29	T15683T	1.02	T555T	.47	T167T	.07
1020, 2020, 2510 (Gas)	T23477T	2.32	T20286T	3.60	.....	....	R26125R	.62	T20077T	.06
1020, 2020, 2510 (Diesel)	T20174T	2.22	T20175T	3.49	.....	....	R26125R	.62	T20077T	.06
3010, 4010 (Except Diesel)	R26109R	2.18	R26108R	2.80	R28653R	.93	R26110R	.56	B367R	.08
3010, 4010 (Diesel)	R26124R	2.63	R26123R	2.63	R28654R	.93	R26125R	.62	B367R	.08
3020, 4020 (Except Diesel)	R26109R	2.18	R26108R	2.80	R28653R	.93	R26110R	.56	B367R	.08
3020, 4020 (Diesel)	R32034R	2.63	R32035R	2.63	R28654R	.93	R26125R	.62	B367R	.08
5010	R35154R	4.36	R35156R	4.36	R40357	1.68	R35157R	1.09	R35431R	.07
5020	R41460	4.36	R40363	4.36	R40357	1.68	R35157R	1.09	R35431R	.07



PRE-CLEANERS



Improve and prolong tractor engine performance by removing dust, dirt, sand, and other material from the air before it reaches the air cleaner. The clear, non-breakable plastic design allows you to quickly check the amount of dirt accumulated, removal and cleaning is an easy job. Install one today for those extra dirty, dusty jobs.

Tractor	Pre-Cleaner	Price
40, 320, 330, 420, 430, 1020, 2020 (Gas)	AT16837T	$ 6.89
1010 CA, R, RS, RUS, U, O, Diesels; 2020 Diesel	AR26416R	9.65
1010L, W, 2010W Diesels	AT15955T	8.35
1010L, W (Gas)	AT16838T	6.89
1010CA, R, RS, RU, RUS, U, O (Gas)	AT16837T	6.89
TRACTORS EQUIPPED WITH OIL BATH AIR CLEANER		
50, 60, 70	AR26416R	9.65
520, 530, 620, 630, 720, 730	AF3580R	10.47
820, 830	AR1728R	4.71
3010, 3020 (Diesel)	AR26811R	9.49
3010, 3020, 4010, 4020 (Gas and LP)	AR26416R	9.65
4010, 4020 (Diesel)	AR26417R	19.26
5010	AR1745R	17.79
TRACTORS EQUIPPED WITH DRY AIR CLEANER		
2510, 3020, 4020 (Gas)	AR26811R	9.49
4020 (Diesel)	AR26417R	19.26
5020	AR1745R	17.79

PRE-SCREENERS

For pre-cleaner

To prevent large particles of dirt, leaves, trash, and chaff from entering the pre-cleaners, this pre-screener is available. It provides the ultimate in pre-cleaning by reducing the amount of foreign material collected, reducing the frequency of servicing, and helping to insure clean air.

Tractor	Pre-Screener	Price
520, 530, 620, 630, 720, 730	AR21789R	$ 6.99
1010 (Except Gas), 2010, 2510, 3010, 3020, 4010, 4020 (Except Diesel)	AR27156R	7.32
2510, 3010, 3020 Diesel	AR27158R	7.49
4010, 4020 Diesel	AR27160R	10.09
5010, 5020, 820, 830	AR35586R	16.05

DRY-TYPE AIR CLEANERS

Simpler . . . easier . . . faster to service

These are the features of dry-type air cleaners. Also the frequency of servicing is reduced. Prevents harmful dust and dirt from entering the engine. Select the element needed from this list.

Tractors	Element	Price
1020, 2020	AT20728	$11.28
2510, 3020 LP & Gas, 4020 LP	AH19848H	9.20
3020 Diesel, 4020 Gas	AR39798	10.15
4020 Diesel	AR39799	11.35
5020	AR36044	16.65

Combines	Element	Price
40	AH19847H	$ 8.40
45	AT20728	11.28
55 (Gas and LP) to Serial No. 83000	AT20728	11.28
55 (Gas and LP) After Serial No. 83000	AH20488H	12.35
95 (Gas and LP) To Serial No. 35000	AT20728	11.28
95 (Gas and LP) After Serial No. 35000	AH20488H	12.35
55, 95 (Diesel); 105 (Gas)	AH20488H	12.35
105 (Diesel)	AR36044	16.65
111 Peanut	AT20728	11.28

FUEL BOWLS

Heat resistant . . . reduce fire hazard

Look for the words "heat resistant" stamped on the bottom of John Deere Fuel Bowls. This is the extra safety factor that practically eliminates the speading of fires. John Deere Fuel Bowls resist heat and flame without bursting or cracking. Don't buy a "bargain" fuel bowl; insist on the heat-resistant John Deere.

Tractor	Fuel Bowl	Price
A, B, D, G, 50, 60, 70, 520, 530, 620, 630, 720, 730, and 2010 Diesel	AA4507R	$ .72
R, 80, 820, 830	AR799R	.72
3010, 3020, 4010, 4020, 5010, 5020	*AT15172	1.05
M, 40, 320, 330, 420, 430, 440, 1010 Gas	M3340T	.85
1010 Diesel, 2010 (To Serial No. 42000)	AT14265T	1.05
1010 Diesel, 2010 (After Ser. No. 42000) Glass	T19119T	1.70
1010 Diesel, 2010 (After Ser. No. 42000) Alum.	T19121T	1.55
1020, 2020, 2510, 3010, 3020, 4010, 4020, 5010, 5020	†AR40407	.84

*Used on AR26672R, AR26675R, AR31176R, AR32638R, and AR34415R fuel pumps.
†Used on AR40258, AR40259, AR40508 and AR40509 fuel pumps.

FUEL FILTER ELEMENTS



For Diesel Tractors

Insure maximum protection against harmful abrasive, gum and other impurities. Install only Genuine John Deere Diesel Fuel Filters for greater, proven efficiency.

Tractor	Key	Fuel Filter Element	Price
70, 80, 720, 730, 830, 3010, 4010	1	AR28611R	$1.75
1010, 2010 (To Serial No. 42000)	1	AT20541T	2.65
1010, 2010 (After Serial No. 42001), 1020, 2020, 2510	2	AT17387T	3.25
3020, 4020, 5010, 5020	3	AR33926R	3.95

CARBURETOR SERVICE KITS



Save fuel and restore power

Put your carburetor in like-new condition with these most generally needed parts. These kits include throttle shaft, bushings, float valve, float lever shaft, and gaskets.

Tractor	Kit	Price
A, To Ser. No. 583999, G	AA4525R	$10.80
A, After Ser. No. 584000	AA4527R	10.80
B, To Ser. No. B95000	AB3964R	10.60
B, Ser. No. B96000-B200999	AB3965R	10.70
B, After Ser. No. B201000 (Gas)	AB3966R	10.55
M, 320, 330 Gas	286-765	7.75
40 Gas	286-1005	7.70
40 All-Fuel	286-1047	7.60
50, 520, 530 Gas	AB4888R	9.75
60, 70, 620, 630, 720, 730 Gas	AA6241R	10.80
420, 430 Gas (All-Fuel to Ser. No. 129213)	286-1107	8.00
420, 430 All-Fuel (After Ser. No. 129214)	286-1162	8.60
1010 (To Ser. No. 31000)	AT14655T	7.40
1010 (After Ser. No. 31001)	AT16966T	8.20
1020 (Gas)	AT22999	9.25
2010 Gas	AT14780T	8.05
2020, 2510 (Gas)	AT22995	9.25
3010, 3020	AR39836	14.60
4010 with AR10110R and AR28637R Carburetor	AR10111R	.....
4010, 4020 with AR34244R Carburetor	AR39834	15.25

CLEANER FOR DRY-TYPE AIR-CLEANER FILTER ELEMENTS

Restore your elements to like-new condition with this specially compounded formula of non-sudsing detergent. It helps remove dust and carbon deposits easily and safely.

Cleaner	Price
R36757R 4 lb. container	$2.97

CARBURETOR CHOKE KITS

Quicker starting . . . faster warm-up

The necessary parts for a fast overhaul of the choke portion of the carburetor are available in a low-cost package. You will get quicker starting, faster warm-up, and save fuel by keeping the carburetor choke in tip-top operating condition.

To Service Carburetors	*Carburetor Mfg. No.	Tractor	Serial Numbers	Kit No.	Price
AA200R	DLTX 18	A	(410000-487999)	AR21652R	$3.00
AA2498R	DLTX 33	A	(488000-498999)		
		G	(G1000-G12999)		
AA580R	DLTX 19	AR & AO	(250000-259999)		
AA3117R	DLTX 41	AR & AO	(260000-271999)		
AB237R	DLTX 10	B	(B1000-B95999)	AR21653R	3.05
		BR & BO	(325000-337514)		
AA3950R	DLTX 71	A Gas	(584000-703383)	AR21654R	5.00
		AR, AO Gas	(272000-284074)		
AA4056R	DLTX 72	A All Fuel	(499000-703384)		
		AR, AO All Fuel	(272000-284074)		
		60 All Fuel	(6000001-6013899)		
AB3533R	DLTX 67	B Gas	(B201000-B310772)	AR21655R	4.50
AB3740R	DLTX 73	B All Fuel	(B96000-B310772)		
		50 All Fuel	(5000001-5015950)		
AA5344R	DLTX 81	60 Gas	(6000001-6199999)	AR21656R	4.95
AA5656R	DLTX 84	60 All Fuel	(6013900-6199999)		
AA6632R	DLTX 97	620, 630 All Fuel	(6200000-)		
†AA6633R	DLTX 94	620 Gas	(6200000-)		
AR20654R	DLTX 106	620, 630 Gas	(6200000-)		
†AB4635R	DLTX 75	50 Gas	(5000001-5199999)		
†AB4738R	DLTX 83	50 All Fuel	(5015951-5199999)		
AB4794R	DLTX 86	50 Gas	(5000001-)		
AB5150R	DLTX 96	50 All Fuel	(5015951-)		
		520, 530 All Fuel	(5200000-)		
AB5151R	DLTX 99	520, 530 Gas	(5200000-)		
AF1560R	DLTX 82	70 Gas	(7000001-7199999)		
AF1652R	DLTX 85	70 All Fuel	(7000001-7199999)		
AF2827R	DLTX 95	720, 730 Gas	(7200001-)		
AF2826R	DLTX 98	720, 730 All Fuel	(7200001-)		
†AA3154R	DLTX 53	A	(49000-583999)	AR21657R	2.10
†AF240R	DLTX 24	G	(G1000-G64530)		
AF731R	DLTX 51	G	(G13000-G64530)	AR21658R	2.10
†AB2711R	DLTX 34	B	(B96000-B310772)	AR21659R	2.25

*Identify carburetors by the manufacturer's number on the carburetor to be serviced to determine proper kit to order.

†These carburetors are no longer furnished. Check with your John Deere dealer for correct replacement.

SERVICE KITS FOR FUEL CONVERTERS

Used on LP-Gas Tractors

These kits contain the necessary replacement parts for repairing fuel converters under normal operating conditions.

LP-Gas Tractors	Kit No.	Price
50, 60, 70, 520, 620, 720	AR21760R	$9.80
530, 630, 730, 3010, 3020, 4010, 4020	AT12031T	6.40

SPARK PLUG CABLES

Deliver full power . . . prevent shorts

Current leaks out of dry, cracked or oil-soaked cables. Replace them now for improved starting and to save fuel. Avoid power loss with a set of new John Deere Spark Plug Cables.

Tractors	Cable	Price
A, B, G, After Ser. No. G11981, 50, 60, 70, 520, 530, 620, 630	AA6141R, 32" Long	$ .85
*G, To Ser. No. G11980, 720, 730	52½" Long	....
*M, 40, 320, 330, 420, 430, 440	7½" Long	....
1010, 2010	AT24384 Cpt. Set	1.80
1020	T23429T, No. 1	.34
	T23430T, No. 3	.36
	T23431T, No. 2	.38
2020, 2510	T23429T, No. 1	.34
	T23432T, Nos. 2 and 4	.40
	T23430T, No. 3	.36
3010, 3020	AR28060R, Cpt. Set w/ Coil Wires	1.91
4010, 4020	AR26624R, Cpt. Set w/ Coil Wires	2.89

*Made Up from Spools and Terminals.

GLOW PLUGS

Model	Part No.	Price
1010 To Serial No. 31000	AT16144T	$4.48
1010 After Serial No. 31001	AT16499T	4.98
2010 To Serial No. 29000	AT16144T	4.48
2010 After Serial No. 29001	AT16499T	4.98

SPARK PLUGS

PRESTOLITE 71¢
AC $1.00
CHAMPION $1.05

Three types of service . . . light, medium, and heavy. Don't let old, "tired" plugs rob your tractor of power, performance, and fuel economy. Install a set of John Deere-Approved Spark Plugs . . . they are "matched" to the engine, and deliver a hot, powerful spark to provide full power and smooth performance.

Tractors	Spark Plugs: Prestolite	Champion	AC
ALL-FUEL			
M, 40, 320, 330	14-11	AM1640T	C49
ALL-FUEL AND GASOLINE			
A, AO, AR, B, BO, BR, G ⅞" Heads	78-10	AC600R	AD2860R
18MM Heads Med. & Light Ser.	AR14017R	AA5593R	AA4660R
18MM Heads Hvy. Ser.	AR14018R	AA4369R	AA5594R
50, 60, 70, 520, 530, 620, 630, 720, 730 Light Ser.	AR14017R	AA5593R	AA4660R
50, 60, 70, 520, 530, 620, 630, 720, 730 Med. Ser.	AR14018R	AA4369R	AA5594R
50, 60, 70, 520, 530, 620, 630, 720, 730 Hvy. Ser.	AR14019R	AA4053R	AA5972R
GASOLINE			
M, 40, 320, 330, 420, 430, 1010, 2010,	AT17208T	AM514T	AM1535T
3010, 3020, 4010, 4020	AR14019R	AA4053R	AR26543R
1020, 2020, 2510 Med. Ser.	.....	AT21343	.....
1020, 2020, 2510 Hvy. Ser.	AT21658	AT21177	.....
70, 80, 720, 730, 820, 830, 840 Cranking Engine	AR14020R	AP19170HR	AF2180R
LP-GAS			
50, 60, 70, 520, 530, 620, 630, 720, 730	AR14018R	AA4369R	AA5594R
2010	AT17209T	AT10085T	43L Com.
3010, 3020, 4010, 4020	AR14021R	AR26544R	AR26545R



DISTRIBUTOR IGNITION POINTS AND CONDENSERS

Quick starts . . . smoother operation

Easier starting . . . smoother, snappier action . . . greater fuel economy . . . longer ignition system life . . . these are features of John Deere Ignition Points.

These ignition points have a stainless steel, rust-resistant spring, and tungsten contact points that resist heat and pitting.

The condensers, which have been pre-tested for correct current capacity, are moisture- and vibration-proof.

Type Equipment	Condenser	Price	Point Set	Price	Point Set & Cond. Kit	Price
Delco (2-Piece Point Set)	AT14468T	$1.05	AT14467T	$1.87	AT14465T	$2.86
Delco (1-Piece Point Set)	AT14468T	1.05	*AT14469T	2.40	*AT14466T	3.20
Wico	AT15929T	1.35	AR31814R	2.30	AR31818R	3.32
Prestolite	AT14684T	.97	AR12003R	1.75	.....	....
			AT21062T	2.25	AT21719	4.70

*Heavy Duty

DISTRIBUTOR IGNITION COILS

Engineered for heavy service, these moisture-proof coils provide full power spark at all engine speeds and insure smooth idling at lower speeds.

Tractor	Coil	Price
A, G, 50 to Ser. No. 5021479, 60 and 70 (Gas and All-Fuel)	AT10399T	$10.15
B, M, 40, 50 After Ser. No. 5021480, 60 and 70 (LP), 320, 330, 420, 430, 520, 530, 620, 630, 720, 730, 1010, 1020, 2010, 2020, 3010, 3020, 4010, 4020 (Delco-Remy)	AM373T	8.82
1010, 1020, 2010, 2020, 2510 (Prestolite)	AT14385T	6.15

VOLTAGE REGULATOR

Protect your battery and generator

Prevent over-charging by automatically controlling the charging rate with one of our reliable voltage regulators . . . same as original equipment.

VOLTAGE REGULATORS FOR GENERATORS

Tractor	Voltage	Regulator	Price
A (477000-583999) B (from 59999), 70D (from 701-7499) 720D (C. E.), 730D (C. E.), R, 80, 820, 830 (C. E.)	6-Volt	1118786	$14.35
A (from 583999), *G (from 12999), 50, 520, 530, 60, 620, 630, 70, 720 (Gas and LP), 730 (Gas and LP)	12-Volt	1118792	15.00
720D, (C. M. from 7222599), 730D (C. M.), 830 (C. M.), 3010D, 3020D, 4010D, 4020D, 5010	24-Volt	AR30155R	23.75
3010, 3020, 4010, 4020, (Gas and LP)	12-Volt	AR40170	15.00

*Use 1118786 on G (13000-25999) with AB3583R Generator.

Abbreviations:
D=Diesel C. E.=Cranking Engine C. M.=Cranking Motor

VOLTAGE REGULATORS FOR ALTERNATORS

Tractor	Voltage	Regulator	Price
2510	12-Volt	AR38459	$18.30
5020	24-Volt	AR40421	25.90
5010	24-Volt	R15017R	21.00

MAGNETO TUNE-UP KIT

This kit is a quick, easy tune-up for AA3870R Wico Magnetos. Included are points and condenser. Install a kit today for more power, better economy.

Tractor	Points & Condenser	Price
A, B, G, 50, 60, 70	AR12015R	$4.55

BATTERY CONNECTOR CABLE

Used for 12-volt systems when connecting two six-volt batteries in series.

Part No.	Price
AA4039R, 8" Long	$2.60
AD2091R, 9¼" Long	2.82

BATTERY CABLES

Non-corrosive terminals . . . high-quality insulation . . . one-piece rugged construction

Tractor	Cable, Battery to Starting Motor	Price
A to Ser. No. 583999; B to Ser. No. B200999	AA4422R, 28"	$3.29
A After Ser. No. 584000; B After Ser. No. B201000; G After Ser. No. 26000, 50, 60, 70R, 520, 620, Also 720D and 730 with Cranking Engine	AB3546R, 64½"	6.31
530	AR20253R, 70"	8.06
630	AR20256R, 82"	8.61
70, 720 (Except Diesel)	AF1754R, 73"	8.53
720, 730 (Diesel with Elec. Start.)	AR20216R, 61"	5.93
M, 40	AT10252T, 12"	2.46
R, 80, 820, 830	AR1353R, 86"	7.70
320, 420	AM349T	2.36
330, 430	AT10309T	3.42
1010 (Except Crawler)	AT13528T	4.62
1020, 2020	T21888T, 29" (Diesel)	2.50
	T21887T, 25" (Gas)	1.73
2010 (Except Crawler) (To Ser. No. 31003)	AT12644T	3.38
(From Ser. No. 31003)	AT16286T	5.43
2510	AR38359, 71", (Positive, 2 used)	5.43
3010, 3020, 4010, 4020	AR28950, 38" (Gas and LP)	3.73
	AR28950, 38" (L.H., Diesel)	3.73
	AR26621R, 61" (R.H., Diesel)	4.43
5010	AR35212R, 42" (Positive)	4.06
	AR35213R, 45" (Negative)	4.24

CIGARETTE LIGHTER



Here's a real convenience feature . . . especially on a windy day. This handy lighter mounts right in the instrument panel. Just push in, wait a second or two, and out it pops ready for a light. Saves time, matches, tempers.

Tractor	Cigarette Lighter	Price
A, G, 50, 60, 70, 520, 530, 620, 630, 720, 730, and 720, 730, 830, 840 (Diesels) (Electric Start)	AR20438R, 12-Volt	$3.85
70, 80, 720, 730, 820, 830, 840 (Diesels)	AR20440R, 6-Volt	3.85
40, 420, 430 (Gas)	AM1949T, 6-Volt	3.74
1010, 2010 (To Serial No. 42000)	AT15543T, 12-Volt	3.48
1010, 2010 (After Serial No. 42001)	AT17607T, 12-Volt	3.48
1020, 2020, 2510, 3010, 3020, 4010, 4020, 5010, 5020	AR34556R, 12-Volt	3.80

BATTERY GROUND STRAPS

Acid proof . . . tinned braided wire . . . flexible

Tractor	Strap, Battery to Ground	Price
A, To Ser. No. 676599; B, To Ser. No. B286909; G, To Ser. No. G51142, and 2010	AB1833R, 13″	$2.21
A, After Ser. No. 676600; B, After Ser. No. 286910; G, After Ser. No. G51143, R, 50, 60, 70, 80, 520, 530, 620, 630, 720, 730, 820, 830, 5010 (Short)	AB4100R, 6½″	1.61
M	AM348T, 4″	1.51
40, 320, 330, 420, 430, 1010	AL2823T, 9″	1.93
1020, 2020	AT18702T, 6″	1.43
3010, 3020, 4010, 4020 Gas and LP		
L.H., Diesel	AB1833R, 13″	2.21
R.H., Diesel	AR26622R, 10″	1.55
2510, 5010 (Long)	AR26622R, 10″	1.55

BATTERIES

Hard rubber cases . . . Lectra Porous separators . . . large capacity . . . high water level . . . dual insulation

Get that extra, full-charge battery life and performance with heavy-duty John Deere-Approved Batteries made especially for tractors. Electrolyte is added when you buy—insuring a 100% fresh battery that's fully guaranteed. The exclusive Lectra Porous separators are extremely durable and highly resistant to acids. See us for your battery needs—a complete stock is available.

6-Volt Batteries

Type	Type of Service
C-1	Light
1-A6Z	Light—Medium
MS1T	Medium
1MS-A9Z	Hi-Level Heavy-Duty
1-A7Z	Hi-Level Heavy-Duty
1-A9Y	Extra Heavy-Duty

12-Volt Batteries

Type	Type of Service
24-A7Z	Light—Medium
24-A8Z	Medium
24H-A8Y	Heavy-Duty
**24TA9Y	Heavy-Duty
30H-A8Y	Extra Heavy-Duty
*3ET-A9Z	Heavy-Duty
24-G9Y	Hi-Level Heavy-Duty

*2510, 3010, 3020, 4010, 4020 Tractors
**1020, 2020, Diesel Tractors

HOLD-DOWN CLAMP FOR BATTERY

This plastisoled top hold-down clamp is available for your 3020 or 4020 Tractor. This improved clamp will hold the battery firmly in position to help insure longer battery life. The clamp is complete with fastenings and installation instructions. Ask for **AR40490**, Price **$3.31.**

LENS—BULB TYPE LAMPS



Make your work and travel safer by replacing broken lens, bulbs and sealed beam units now!

Lens	Price
A2731R	$1.15

SEALED-BEAM UNITS

Size	Description	Unit	Price
6-Volt	3½″ Deep	AF3893R	$2.40
	4½″ Deep	AT11121T	3.70
	Flood	AR21060R	2.65
	Rear and Warning	AR21736R	3.45
12-Volt	Regular	AF3892R	2.40
	Flood	AR21059R	2.65
	Rear and Warning	AR21737R	3.45

BAYONET-TYPE LAMP BULBS

Voltage	32 C.P.	Price	15 C.P.	Price	1 C.P.	Price
6-Volt	AB2820R	40¢	AR21738R	35¢	AB4059R	15¢
12-Volt	AD2062R	35¢	AR21739R	35¢	AA4927R	15¢

TRACTOR LAMPS



For every purpose

These sealed-beam lights for after-dark tractor operation throw a brilliant beam for excellent vision on late-hour jobs. Sealed-beam lights provide longer service life; and the reflectors do not chip, pit, or rust. A brillant beam is provided for the life of the lamp. Available in six- or twelve-volt types.

Tractor	Front Lamp	Price
A, B, G, R, 70D, 80, 720D, 730D, 820, 830	AF3817R, 6-Volt	$10.55
A, G, 50, 60, 70, 720, 730	AF3816R, 12-Volt	10.55
620, 630, 2510 Hi-Crop	AT13381T, 12-Volt	8.00
M, 40, 320, 330, 420, 430	AT10571T, 6-Volt	7.80
1010 (Exc. Crawler) 2020 (Gas)	AT12935T, 12-Volt	8.35
2010 (Exc. Crawler)	AT12935T, 12-Volt, Single	8.35
	AT13380T, 12-Volt, Double, Outer	8.35
	AT13381T, 12-Volt, Double, Inner	8.00
1020, 2020	AT20106T, 12-Volt	8.45
2510 (Row-Crop), 3010, 3020, 4010, 4020, 5010, 5020.	AT13381T, 12-Volt, Regular	8.00
	AT13380T, 12-Volt, Flood	8.35

COMBINATION REAR AND WARNING LAMP

Throws a brilliant white light behind tractor for trailing implements, or can be used as a bright red taillight for highway safety at night. Don't take chances on the highway . . . install one today.

Tractor	Combination Rear and Warning Lamp	Price
A, B to Ser. No. B200999, G	AR31787R, 6-Volt	$19.25
A, B After Ser. No. B201000, G. R.	AR31786R, 12-Volt	16.30
40, 320, 330, 420, 430 (Gas)	AT16288T, 12-Volt	11.15
50, 60, 70, 520, 530, 620, 630, 720, 730	AR31786R, 12-Volt	16.30
70, 80, 720, 730, 820, 830 Diesel	AR31787R, 6-Volt	19.25
1010, 2010, 2510	AT16288T, 12-Volt	11.15
1020, 2020	AT20107T, 12-Volt	11.10
3010, 3020, 4010, 4020 5010, 5020	AT16288T, 12-Volt	11.15

TRACTOR AND IMPLEMENT WARNING LAMPS $20.53

To help prevent accidents, tractor warning lamps and companion implement warning lamps are available. Protect yourself and others on the highway at night with these safety lamps. Both lamps throw beams for 500 feet: amber light in front; red light to rear and at 90-degree angles. See us about the complete line of tractor warning lamps that can be swung overhead on hilly roads or out of way when not in use. The implement warning lamp plugs into the tractor electrical outlet, and we have extra brackets for the various implements. Ask for **AR40708** warning lamp for towed implements. Installation is quick and easy.

GENERATOR, WATER PUMP, AND FAN BELTS



Better fit . . . designed for the job

Keep an extra belt on hand . . . buy only time and test-proved John Deere Belts for longer wear and top performance.

Tractor	Generator	Belt	Price
A, B, G		B1587R	$ .85
M		L4201T	.85
40, 320, 330, 420, 430		M1862T	.90
	Water Pump		
80, 820, 830		R1528R	.80
	Generator and Water Pump		
A, B		A4287R	1.35
G		F1057R	1.35
50, 520, 530		B3288R	1.00
60, 70, 620, 630, 720, 730		A4897R	1.30
	Fan and Generator		
80, 820, 830		R1561R	1.35
	Fan		
M		M266T	1.25
R		R221R	3.00
40, 320, 330		M1900T	1.05
420, 430, 440 (Gas) (Fan and Water Pump)		M3055T	1.25
	Alternator or Generator, Water Pump and Fan		
1010 (Gas)		T11961T	1.35
1010 (Diesel)		T12530T	1.20
1020, 2020		T20334T	2.60
2010 (Except Crawler)		T626T	1.10
2510		T24473	2.40
3010, 3020, 4010, 4020 (Gas and LP-Gas)		R26606R	1.95
3010, 3020, 4010, 4020 (Diesel)		R26607R	2.00
5010, 5020		AR41574	4.60

BREAKAWAY COUPLER PLUGS, DUST PLUGS AND DUST COVERS

Keep your hydraulic system operating at top efficiency. Be sure to check your breakaway coupler plugs, and dust cover.

Key	Part No.	Description	Price
1	AR30210R	Breakaway Coupler Plug	$3.27
2	AR34059R	Dust Plug with Chain	1.94
3	R28006R	Dust Cover	.30

REMOTE HYDRAULIC CYLINDERS

Double acting . . . heavy-duty

These husky John Deere Remote Cylinders provide positive hydraulic control. The cylinders are double-acting and provide two-way pressure for use with drawn as well as mounted implements. An adjustable depth stop provides exact control of implement working depth. The cylinders are easy to handle, easy to hook up, and are quality built for long life.

Size	Part No.	Price	Type of Stop	Override
2½" x 8"	AB4264R	$61.55	Mechanical	None
2½" x 8"	AR38426	62.85	Hydraulic	Yes
3" x 8"	AA5603R	64.48	Hydraulic	Yes
3" x 8"	AA6256R	64.48	Hydraulic	None
3" x 8"	AR27437R	63.35	Hydraulic	Yes
3" x 8"	AR34829R	93.66	Mechanical	None
3½" x 8"	AR36303	127.50	Mechanical	None
3½" x 8"	AF1586R	75.27	Hydraulic	Yes
3½" x 8"	AF2322R	74.68	Hydraulic	None
3½" x 8"	AR35261R	102.12	Hydraulic	Yes
4" x 8"	AR1716R	95.39	Mechanical	None

HYDRAULIC HOSE



Single and double wire braid

See us for hydraulic hose. We have a selection of the popular hoses in ready-made lengths and also bulk lengths for use with resuable couplings to make up any special lengths needed.

We stock only high-tensile strength, wire re-inforced hoses that withstand high pressures and rough usage. This high-quality hose is flexible, resists weather and abrasion.

Size, Inches A	Size, Inches B	Part No.	Price
⅜	92	*R32183R	$11.59
⅜	92	AR26407R	8.00
½	24	JD154	3.63
½	36	AA5722R	4.64
½	48	AA3752R	5.65
½	60	AA5619R	6.66
½	72	L1702C	7.98
½	88	AA4542R	9.04

*Wire Insert

CLAMP-TYPE REPAIR COUPLINGS

Special clamp-type repair couplings are available for low-cost, fast and easy "on the spot" hose repair. Can be used over and over.

Size	Coupling	Price
⅜"	AR30784R	$1.38
½"	AA4864R	1.48
⅝"	AR1058R	1.96
¾"	AR836R	1.90

WEATHER BRAKES, SHIELDS AND CABS



Want a weather shield tailored exactly to your tractor or combine? We have a complete line of the finest and most streamlined weather brakes, shields, and cabs. You'll be surprised at their low cost.

JOHN DEERE

"Only Genuine John Deere Parts Fit and Wear Like the Originals"

WATER-HEATING ELEMENT

For warming the engine in shorter periods of time, such as 2 or 3 hours, water heating elements are available. This element is inserted in the cylinder head water inlet pipe.

Tractor	Size	Element	Price
720, 730, 820, 830, 840	500 watt	AR21022R	$20.44
	1000 watt	AR21020R	20.99



OIL-HEATING ELEMENT

A crankcase heater is available to facilitate cold-weather starting. It is inserted as shown to heat the crankcase oil or to maintain heat overnight for faster starting.

Tractor	Size	Element	Price
720, 730, 820, 830	140 watt	AR21021R	$20.72
720, 730, 820, 830, 840, 2510, 3010, 3020, 4010, 4020, 5010, 5020	240 watt	AR27139R	20.44

BATTERY WARMER

$11.98

Warm batteries are far more efficient. To insure faster cold weather starts, this new battery warmer is a "natural." It fits in the bottom of the battery compartment and operates off any standard 110 volt AC-DC outlet.

Tractor	Warmer
2510, 3010, 3020, 4010, 4020	AR28527R

REAR-VIEW MIRROR

This mirror is an important safety item if you travel public roads with your tractor . . . between fields or farms . . . from farm to elevator. The mirror glass is tinted to reduce glare and is mounted in a rubber bumper frame. The hinged mirror support arm can be swung out of the way so tractor can be mounted easily.

Tractor	Mirror	Price
2510, 3010, 3020, 4010, 4020	AR30003R	$6.34
5010	AR36163	9.32

ROLL-GARD WITH SEAT BELTS AND CANOPY

Put the strength of steel around you as well as under you. Let us show you the all-around driver protection of the new John Deere Roll-Gard with seat belts. A steel canopy is also available to reflect the sun and shed rain.



FLASHER FOR WARNING LAMP

Increase highway safety—install a flasher on your tractor today. Available in 6 and 12-volt types. See us for the specific lamp for your tractor. We have the **AR40711** kit at **$8.93** containing all parts needed for easy, fast installation on older tractors.

Size	Flasher	Price
6-volt (Early Models)	AR21855R	$2.11
12-volt (Early Models)	AR21856R	2.55
12-volt (Late Models)	AR38453	2.82

ELECTRIC HORN

Produces a loud low note warning. Durable enamel finish resists rust and corrosion. Compact, easy to install. Horn button easily assembled on the dash.

Tractor	Horn	Price
2510	AR38462	$8.62
3010, 3020, 4010, 4020, 5010	AR39609	9.82

ELECTRICAL OUTLET EXTENSION CABLE $6.34

Here's a heavy-duty extension cord with connector to utilize your electrical outlet on the tractor.

Size	Cable
25 ft.	AR40710

UMBRELLAS

John Deere Umbrellas are available in the popular Tilt-A-Shade and Bent-Shaft types. Tilt-A-Shade can be slanted to any angle; Bent-Shaft style features patented, separable extension arm which can be unscrewed and swung away when not in use. They are easy to attach and adjust . . . custom made for John Deere Tractors and Combines. Ask to see a John Deere umbrella next time you're in, and stay cool on hot days. It also saves many a soaking from sudden summer showers.

Part No.	Description	Price
TY2000	Tilt-A-Shade Umbrella	$15.40
TY2001	Bent-Shaft Umbrella	13.71
TY2002	Universal Bracket	3.10
TY2106	Cover, Tilt-A-Shade	7.64
TY2117	Cover, Bent-Shaft	7.00

SUN SHADES

The new John Deere Sun Shade is versatile, long lasting, and comfortable. It can be adjusted from the seat to any postion. The yellow vinyl coated nylon canopy fits snugly over the black satin-finished frame. This canopy provides superior heat and cold protection, resists weathering, abrasion, mildew, and chemicals. It is also waterproof and light weight. There are no stays or rods at eye level to obstruct vision.

Description	Price
Fender Mount, TY2014 (2-Way Control)	$29.55
Axle Mount, TY2015 (2-Way Control)	29.55
Canopy, only, TY2139	7.49

SOIL-FLOW PLOWSHARES



Faster, easier, low-cost plowing

A complete line of John Deere Soil-Flow Shares provides a quality job of plowing in all types of soils. Made from 5/16" and 3/8" fine grain-hardened steel in both 14" and 16" sizes, shares are available in full cut for shallow plowing in sod, as well as soils where tap roots must be cut; and narrow cut for plowing in all other soil conditions. They offer lower cost, lighter draft, and better penetration. The **deep-suck** share is heavier, withstands tremendous shock loads, and provides better penetration in hard, dry ground. **Hard-faced** shares are available for use in extremely abrasive soils where rapid wear occurs. Remember, good plowing depends on the condition of your shares. Replace them now.

Size	Type	Share, R.H. less Bolts: Three-Bolt	Price	Four-Bolt	Price
14" Full Cut	Standard	A10001A	$2.55	A10221A	$2.80
14" Full Cut	Hard-Faced, Standard	A10101A	6.95	A10321A	6.95
14" Full Cut	Deep Suck	A10005A	3.17	A10225A	3.75
14" Full Cut	Hard-Faced, Deep Suck	A10105A	8.02	A10325A	8.02
14" Narrow Cut	Standard	A10002A	2.22	A10222A	2.40
14" Narrow Cut	Hard-Faced, Standard	A10102A	6.64	A10322A	6.64
14" Narrow Cut	Deep Suck	A10006A	2.86	A10226A	3.24
14" Narrow Cut	Hard-Faced, Deep Suck	A10106A	7.59	A10326A	7.59
16" Full Cut	Standard	A10003A	2.92	A10223A	3.20
16" Full Cut	Hard-Faced, Standard	A10103A	7.09	A10323A	7.09
16" Full Cut	Deep Suck	A10007A	3.50	A10227A	4.25
16" Full Cut	Hard-Faced, Deep Suck	A10107A	8.37	A10327A	8.37
16" Narrow Cut	Standard	A10004A	2.55	A10224A	2.80
16" Narrow Cut	Hard-Faced, Standard	A10104A	6.95	A10324A	6.95
16" Narrow Cut	Deep Suck	A10008A	3.17	A10228A	3.75
16" Narrow Cut	Hard-Faced, Deep Suck	A10108A	8.02	A10328A	8.02

BOLTS FOR SOIL-FLOW PLOWSHARES

Share Type	Bolt with Nut and Lock Washer	Price
Three Bolt	AA10505A, 7/16" x 1 3/16" (3 used)	11¢
Four Bolt	AA10505A, 7/16" x 1 3/16" (3 used)	11¢
	AA11965A, 1/2" x 1 1/4" (1 used)	15¢

MOLDBOARD PADS

Moldboard pads for high-speed bottoms turn the furrow slice more quickly where scouring is no problem. They are useful for hillside work and plowing at low speeds.

Part No.	Price
BA10162A, 14" Bottoms, R.H.	$5.06
BA10164A, 16" Bottoms, R.H.	5.51

GUARANTEED EXTRA-HEAVY-DUTY PLOWSHARES



Here are extra-heavy-duty shares in right-hand 14-inch and 16-inch sizes. Each carton of six (6) carries an individual guarantee against breakage. The conditions of guarantee are included on each carton. These shares are especially designed for larger plows operating in rocky areas. Included in each carton are new heavy-duty bolts and nuts for the front hole in the share to provide sufficient strength when striking solid obstructions.

Plowshare		Price
A14025	R.H., 14" Full-Cut	$7.33
A14027	R.H., 16" Full-Cut	7.65
AA14519	Bolt, Front with Nut, 1/2" x 1 3/8"	.24

LANDSIDES FOR HIGH-SPEED BOTTOMS



John Deere Landsides are long wearing—No. 9's are deep chilled cast and No. 10's are extra hard white iron. Keep your plow running straight in the furrow and reduce side draft by replacing that worn landside now!

Description	Landside	Price
No. 9	BA10146A, R.H.	$ 3.97
No. 9	BA10147A, L.H.	3.97
No. 10	BA10979A, R.H.	5.93
No. 12	BA11257A, R.H.	10.50
No. 12	BA11258A, L.H.	10.50



LANDSIDE ROOT CUTTERS $1.92

Landside root cutters undercut the furrow slice to be turned by the next bottom. Tough roots are sheared off while they are still anchored in unbroken soil.

Part No.	
CT186A, R.H.	CT187A, L.H.

TRASHBOARDS FOR HIGH-SPEED BOTTOMS



This easily attached trashboard improves coverage in heavy trash, stubble, and stalks. It is superior to ground-penetrating covering devices, since it has no adverse effect on the plow . . . it is lighter draft, easier and less critical to adjust.

Part No.	Price
BA11128A, R.H.	$11.84
BA11129A, L.H.	11.84
BA11130A, R.H. Slat Bottom	14.10
BA14039, R.H. SDT546 Bottom	12.06
BA14040, L.H. SDT546 Bottom	12.06



MOLDBOARD SHINS

Replacing worn shins is the low-cost way to prolong moldboard life and keep your John Deere Plow in top-notch operating condition.

Part No.	Price
AA14564, 14″ Bottoms, R.H.	$5.49
AA14565, 14″ Bottoms, L.H.	5.49
AA14566, 16″ Bottoms, R.H.	5.84
AA14567, 16″ Bottoms, L.H.	5.84

WEED HOOKS $2.40

Install weed hooks for covering heavy compact trash, green manure, and plowing down rank cover crops.

Part No. BA10113A

SHARES FOR LISTERS, MIDDLEBREAKERS

John Deere heavy-duty, one-piece shares have milled joint edges for better fit and more strength. Each share is properly shaped for uniform width, thickness, and length.

The forged sharp points provide better penetration for faster, easier work. See us for Genuine shares designed for your listers and middlebreakers.

OPEN FOOT BEAM BOTTOMS

Size	Bottom Numbers	Share	Price
10″	131	BC367A	$ 6.87
12″	121, 122, 125, 129, 132, 136	BC352A	7.28
		A10352A (Hard-Faced)	14.65
14″	114A, 119, 126, 127, 130	BC287A	8.35
		A10287A (Hard-Faced)	14.95
14″	121, 122, 125, 129	BC346A	8.35
		A10346A (Hard-Faced)	14.95
14″	114A, 119, 126, 127, 130	BC332A (Black Root)	8.35
20″	126, 130, SB583	BC305A	10.92
22″	114A, 125, 126, 127, 129, 130, SB584	BC393A	13.12

SOLID FOOT BEAM BOTTOMS

10″	137, 138, 142	BC369A	3.45
10″	137, 138, 142 (Hard Face)	A10369A	8.45
12″	137, 138, 142	BC370A	4.48
14″	214	BC285A	10.85
16″	124	BC353A	17.17

SPIKE HARROW TEETH



Replace those lost and broken teeth today for better seedbed preparation. Exact shape and design, extra strength, and hardening for longer wear, are features of Genuine John Deere Teeth.

Type	Part No.	Price
Headed	15488A	28¢
Runner	15489A	50¢
1 7/16″ Shouldered Stem	HD202DW	60¢
1 3/4″ Shouldered Stem	15491A	57¢
2 3/4″ Shouldered Stem	15492A	58¢

TEETH FOR SPRING-TOOTH HARROWS

Four types of interchangeable teeth are available, with all but the alfalfa-renovating teeth furnished in regular and heavy-duty types. You may choose utility teeth for general-purpose work, weeding teeth for killing quack-grass and other pests, reversible spear-point for use in abrasive soils, or alfalfa-renovating teeth.

These teeth are made of high-carbon spring steel, heat-treated and tempered for aggressive tillage and long, dependable service.

Part Number and Description	Price
CJ73FA Regular Weed Destroyer Harrow Tooth	$2.12
CJ78FA Heavy Weed Destroyer Harrow Tooth	2.49

Part Number and Description	Price
CJ72FA Alfalfa Harrow Tooth	$2.74

Part Number and Description	Price
CJ3FA Regular Harrow Tooth	$2.04
CJ77FA Heavy Harrow Tooth	2.49

Part Number and Description	*Price
ACJ76FA Reversible Point Harrow Tooth	$2.70
ACJ94FA Heavy Reversible Point Harrow Tooth	2.85

*Whole Goods—Price Does Not Include Freight

RUNNER AND WEAR SHOES FOR SPRING-TOOTH HARROWS

Runner and wear shoes are extra-wide for longer service in abrasive soils and for added flotation in soft or loose soils. The runner shoes are reversible for double life and replaceable at moderate cost.

As further protection, front wear shoes overlap and shield the front bends of the runners, points of greatest soil abrasion. They are adjustable, adding to their effective life, and are replaced easily at low cost.

Part Number and Description	Price
LH896FA Long Wear Shoe	$2.75
ALH1210A Front Adjustable Wear Shoe	2.69



ANTI-FRICTION BEARINGS FOR OFFSET-TYPE DISK HARROW $28.94

These anti-friction bearings provide free-rolling gangs and reduce friction and drag. They're self-aligning bearings, with a unique pivot and yoke which permit the assembly to align itself horizontally or vertically, thereby reducing the strain. A triple seal on each side of the bearing prevents dirt from entering the bearings.

Replace old bearings with new grease-packed ball bearing assemblies. Adaptable on harrows having 9⅛″ spacing and 1⅛″ gang bolt. Ask for Part No **AK34176K.**



DISK HARROW BLADES

Solid . . . Cut-Out

Knowing there is no substitute for quality, John Deere offers the highest-quality disk blades. Built to stand up under the most grueling work . . . John Deere Disk Blades handle the job, particularly when the going gets rough. They have a keen cutting edge and are wear-resistant to help assure long life. Every John Deere Blade is hardened and tempered for longer wear and to resist shock. For faster, deeper penertation and weed-free seedbeds, insist on genuine John Deere Disk Blades.

Size & Type	Center Hole	Thickness	Part No.	Price
16″ Solid	15/16″	.120	K64BW	$ 3.70
16″ Solid	1 1/16″	.120	K1422B	3.70
16″ Solid	1 3/16″	.120	B10486B	3.70
16″ Double Curvature	1 1/16″	.120	K1634BW	3.70
18″ Solid	1 5/16″	.125	KK64BW	4.97
18″ Solid	1 1/16″	.125	K1423B	4.97
18″ Solid	1 3/16″	.125	K1684B	4.97
18″ Solid	1 3/16″	.148	K1658B	5.37
18″ Solid	1 3/4″	.134	B14249B	5.11
18″ Cut-Out	15/16″	.134	K1638BW	5.78
18″ Cut-Out	1 1/16″	.134	K1639B	5.78
18″ Cut-Out	1 3/16″	.134	K1670B	5.78
20″ Solid	1 1/16″	.134	K1581B	6.40
20″ Solid	1 3/16″	.134	K1685B	6.40
20″ Solid	1 3/16″	.148	K1659B	6.73
20″ Solid	1 3/16″	.180	B14824B	7.69
20″ Solid	1 3/4″	.148	B13142B	6.73
20″ Solid	1 3/4″	.180	B14872B	7.69
20″ Cut-Out	1 1/16″	.148	K1640B	7.82
20″ Cut-Out	1 3/16″	.148	K1671B	7.82
20″ Cut-Out	1 3/4″	.148	B13143B	7.82
22″ Plain	1 1/4″	.165	Q486K	8.45
22″ Solid	1 3/4″	.165	B13144B	8.85
22″ Plain	1 3/4″*	.165	Q30095K	8.45
22″ Cut-Out	1 3/4″*	.165	Q31446K	9.41
22″ Cone-Disk, Cut-Out	1 3/4″*	.165	K33523K	10.00
24″ Plain	1 1/4″	.180	Q8564K	11.32
24″ Plain	1 3/4″*	.180	Q30096K	11.32
24″ Cone-Disk, Plain	1 3/4″*	.180	K33524K	12.01
24″ Cone-Disk, Plain	1 3/4″*	.250	K37324K	17.47
24″ Cone-Disk, Cut-Out	1 3/4″*	.180	K33525K	13.42
24″ Cone-Disk, Cut-Out	1 3/4″*	.250	K37325K	18.88
26″ Plain	1 3/4″*	.187	Q30097K	14.18
26″ Cone-Disk, Plain	1 3/4″*	.187	K33526K	15.10
26″ Cone-Disk, Plain	1 3/4″*	.250	K37326K	20.58
26″ Cone-Disk, Cut-Out	1 3/4″*	.250	K37327K	22.11

*Round Center Hole.



COULTER BLADES

Heat treated for longer llife and to resist wear in all types of soils, these heavy-duty blades are built to withstand the hard impact of stones and trash. Plain or notched edges are carefully sharpened for better penetration and to cut cleanly through stalks and trash.

Size & Type	Coulter Less Hubs	Price	With Hubs	Price
15″ Notched	J2177M	$ 7.37	JJ2293M	$10.42
17″ Plain	33131A	8.25	DA6731A	12.50
17″ Notched	33132A	10.21	DA6732A	14.44
17″ Ripple Edge	A13001A	10.47	AA11615A	14.83
18″ Plain	33136A	9.14	DA6733A	13.41
20″ Ripple Edge	A13444A	16.44	AA11794A	20.71
20″ Plain	A12964A	14.56	AA11597A	17.09
20″ Notched	A10719A	22.48	AA10631A	26.84
22″ Plain	A12971A	18.14	.....	.....

GRAIN DRILL DISK BLADES & SCRAPERS



Replace those worn furrow-opener disk blades to insure a first-class seeding job next spring. You'll be money ahead by getting a more uniform job of planting . . . more grain per acre. Single Disk, and Semi-Deep Openers with hard iron bearings can be converted to anti-friction bearing types. Order **AM12671M** Single Disk or **AM12672M** Semi-Deep. Also check your drill for lost, worn, or broken scrapers.

Size and Type	Scraper	Price
13″ Single Disk	M19500M R.H.	83¢
14″ Semi-Deep	M19501M L.H.	83¢
13½″ Double Disk	K161M	47¢

Size and Type	Blade with Bearing Hard Iron	Price	Anti-Friction	Price
13″ Single Disk	BB3364M	$6.09	*AM12671M	$23.59
14″ Semi-Deep	QQ1514M	6.60	*AM12672M	24.35
16″ Deep Furrow	BB3102M	8.02	.....	
13½″ Double Disk, R.H.	BB83M	5.65	KK254M	7.16
13½″ Double Disk, L.H.	BB84M	5.65	KK255M	7.16

*Carton of Two.

"Only Genuine John Deere Parts Fit and Wear Like the Originals"

RUBBER PRESS WHEEL TIRES

SMOOTH

TRACTION TREAD

These semi-pneumatic rubber tires for the press wheels are especially desirable when planting in wet, sticky soil that would cling and ball up on the steel press wheel. The flexing action of the rubber does a good job of shedding the soil to promote a better job of packing the soil over the seed. The rubber tires also improve flotation in soft, loose seedbeds. **Let us show you the new B16049B traction tread tire.**

Tire Size	Description	Price
B16048B 7″ x 18″ Smooth	For 18″ Open Center	$16.40
B16049B 7″ x 18″ Traction Tread	For 18″ Open Center	16.40
B16050B 7″ x 22″	For 22″ Open Center	22.04

WIRE CLAMPS FOR CONVOLUTE GRAIN AND FERTILIZER TUBES AND GRASS SEED NEOPRENE TUBES . . . GRAIN DRILLS

These plated clamps are extra strong and are easily installed. Used to connect neoprene tubes to tube tops.

Used On	Clamp	Price
Grain Tube	A13879A	7¢
Fertilizer Tube	M18356M	6¢
Grass Seed Tube	M19356M	8¢

POWDERED GRAPHITE $1.50

Lubricating planter hopper bottom parts, seed plates, and valves is essential to provide trouble-free, easier operation and longer wear at today's high planting speeds. Simply sprinkle a teaspoonful of graphite over the seed each time the hopper is filled. Buy your supply now! Ask for **B13243B** graphite packaged in one-pound cans.

FIBERGLASS SERVICE KIT $2.05

Here's a money saver! This kit is for minor repairs and small leaks on sprayer and planter fiberglass tanks. The **AB13919B** kit contains all of the necessary materials and instructions.

SEED PLATES

Accurate planting . . . complete line available

Whatever the shape of the seed may be — flat or oblong, round or pointed, large or small, or any combination of these — there are John Deere Seed Plates available to plant most seeds . . . efficiently . . . accurately! See us before you plant. Let us help you select the proper seed plates for the kind of seed you are going to plant. Using the right seed plates means higher yields and a more accurate stand. We have a full selection of seed plates and false rings.

$5.92 AH871B PLANTER RUNNERS

Precision planting . . . longer wearing.

Worn runners cause scattered seed, poor seed coverage, and irregular yields.

John Deere Planter Runners are made to precise dimensions for proper penetration, good seed coverage, greater strength, and longer wear. Genuine runners are straight to assure a good straight row and prevent planter swerve.

PLANTER HOPPER SERVICE KIT $1.65

Cut-off tongues . . . roller knockers . . . wheels . . . springs

For greater planting accuracy, install a set of these planter hopper parts. Kit number **AY932B** contains the necessary parts for two hoppers.

NEOPRENE TUBES

Grain drills . . . planters

SMOOTH

CONVOLUTE

Neoprene tubes last three times longer than other types. They are flexible and noncollapsible to prevent caking and clogging, and insure a steady flow of seed or fertilizer. This material withstands all weather conditions. Smooth and convolute tubes are available. Select your needs below:

Grain Drills	Tube w/Fastener	Price
CONVOLUTE		
FB-A, FB-B, LL, LL-A, PD-A, DR, DR-A, DR-B, B-A, B-B, EE, SS, SN, EN, F, FF, RS, RB	AM11849M (8″)	$2.24
SMOOTH		
B, FB, FB-A	AM12736M (17″)	.96
BA, B-B, DR-A, DR-B, FB-B, LL-A	AM12737M (21½″)	1.18

Planters	Tubes	Price	Clamps	Price
493A, 494, 494A, 495, 495A, 694, 695 (Disk Opener)	B10177B (5″)	$1.72	AR21840R B10017B	30¢ 30¢
493A, 494, 494A, 495, 495A, 694, 695 (Runner Opener)	B10171B (7″)	2.16	AR21840R B10017B	30¢ 30¢
74, 76 Fert. Att. (Single Disk)	B10171B (7″)	2.16	N10084DB H2839B	70¢ 5¢
74, 76 Fert. Att. (Double Disk)	H2838B (10″)	2.16	B11334B N10084DB H2839B	32¢ 70¢ 5¢
6, 7, 406, 407	H2838B (10″)	2.16	AR21840R H2840B	30¢ 24¢
24B, 25B, 184, 186	H2838B (10″)	2.16	AR21840R B11334B	30¢ 32¢
82, 84 Bedder Fert. Att.	A13036A (13″)	2.51	AR21840R B11334B	30¢ 32¢
218B, 418B, 480, 680 & 201, 401, 411, 411B, 611 Side Dressing	B10812B (22″)	5.69	B11333B B11334B	36¢ 32¢
484 & 41, 41A, 41B, 42, 43, 442 Side Dressing	B10812B (22″)	5.69	AR21840R B11334B	30¢ 32¢
23B, 23C	B10812B (22″)	5.69	H2840B AR21840R	24¢ 30¢

PLANTER and DRILL PARTS

"MULTI-LUBE" LUBRICANT

This lubricant is especially formulated for use in central lubrication systems on farm equipment. It pours like ordinary oil; yet, when forced into bearings under pressure, it thickens into a heat-resistant soft grease to provide a good seal. It can also be used in hand-operated grease guns.

Size	Part No.	Price
32-ounce	AN11100N	$1.61
1 Gal.	AN100650	5.35

$9.65 MULTI-LUBER PARTS KITS

Here's a timesaver! Included in a dispensing carton are the most commonly needed replacement parts for multi-lubers. By having one of these kits in your tool box or machine shed, you will reduce downtime and be able to make quick repairs. Ask for part number **AM12200M** kit.



FURROW OPENER SEALS and LUBRICANT KIT $2.37

This new kit contains eight rubber seals and sufficient lubricant for installation. Keep your Anti-Friction Bearing Furrow Openers in tip-top operating condition. Each kit has complete service instructions and illustrations on the back of the card. Ask for **AM13000M.**

COVER CHAIN FOR GRAIN DRILLS 96¢

Replace those worn, broken, or lost cover chains to provide adequate seed coverage and insure better yields. Ask for part number **BB3339M.**

RUBBER TIRE FOR GANG PRESS WHEEL

These semi-pneumatic tires for gang press wheels are self-cleaning and help pack soil that is light and loose. This prevents blowing and drifting of soil yet firmly packs the soil over the planted seed.

Tire	Price
S2995M	$2.95

SPRAYER PARTS

NOZZLE TIPS FOR BOOM SPRAYERS

*Gals. per Acre Ea. Nozzle per 40" Row	Spray Pattern	Part No.	Price	No. on Tip (Stamped)	Tip Material	Recommended Screen Mesh
2.3	Fan	B11891B	$ .55	730077B or FS2.5	Brass	100
4.5		B11875B	.55	730154B or FS4.5		100
4.5		B12286B	1.65	730154SS or FS4.5	Stainless	100
6.8		B12287B	1.65	730231SS or FS5.5	Steel	50
9.2		B12288B	1.65	730308SS or FS6.5		50
0.5	Cone	B12281B	.82	Y1 or BC2.0	Brass	100
1.0		B12282B	.82	X2 or BC3.5		100
1.5		B12283B	.82	X3 or BC5.0		100
2.0		B14243B	.82	X4		50
3.0		B14244B	.82	X6		50

NOZZLE TIPS FOR PRE-EMERGENCE SPRAYING 55¢

*Gals. per Min. at 40 psi	Part No.	No. on Tip (Stamped)	Recommended Screen Mesh
.10	B11652B	8001E	100
.15	B11653B	80015E	
.20	B11654B	8002E	50
.30	B11655B	8003E	
.40	B11656B	8004E	
.50	B13194B	8005E	
.60	B13195B	8006E	

NOZZLE STRAINERS

Size	Part No.	Mesh	Price
5/16" x 1"	AB12076B	50	62¢
	AB12077B	100	62¢
3/8" x 3/4"	AB11378B	50	46¢
	AB11379B	100	46¢

*Capacities are based on clear water—spray mixtures will vary. Gallons per acre figured at 40 psi and 5 mph.

SPRAYER PARTS FOR 600 AND 700 HI-CYCLES

Key	Description	Part No.	Price
1	Hose, 3/8" x 100'	N85683N	$44.47
	Hose, 3/4" x 50'	N85687N	40.13
	Hose, 1" x 20½"	N85690N	4.39
2	Pump, Roller	AN85172N	53.40
	Pump, Gear (Special)	AN85374N	144.01
3	Roller Set, Nylon	AN85201N	5.60
4	Roller Set, Rubber	AN85202N	7.20
5	Nozzle Body	N85628N	1.08
6	Nut, Nozzle (Brass)	N85631N	$ .63
7	Nozzle Body, Double, Swivel	AN85249N	2.10
8	Nozzle Body, Single, Swivel	AN85248N	2.64
9	Connector	N85632N	.58
10	Coupling	N85448N	1.74
11	Clamp, 3/8" Hose	AR21837R	.27
	Clamp, 1" Hose	AR21839R	.30

Keep your sprayer in tip-top shape. Stamp out weeds and insects before they steal your good stands, high yields, and high-quality crops. Check your sprayer now for needed parts.

Sprayer hoses are made of chemical-resistant rubber with a durable outer surface, highly resistant to abrasion and wear . . . stand up under hard use in the field. These heavy-duty, flexible hoses resist deterioration and have a long service life. Roller pumps designed for specific jobs give high capacity spray delivery, smooth operation and constant pressure at all travel speeds.

Hand guns are made of brass . . . highly resistant to rust and corrosion. Just twist the handle to adjust spray all the way from a fine fog to a solid jet stream.

Key	Sprayer Model No.	Description	Part No.	Price
1	5, 5A, 7, 10, 10A, 20, 20A, 22, 29, 29A, 29B, 30, 31, 32, 32A, 32B, 50, 50A, 60	Hand Gun Hose, 25 ft.	AB11057B	$22.28
	10, 10A, 20, 20A, 22, 25, 25A, 29, 29A, 29B, 30, 31, 32, 32A, 32B, 50, 50A, 60	Hand Gun Hose, 50 ft.	AB11650B	41.09
	10, 10A, 20, 20A, 22, 25, 25A, 29, 29A, 29B, 30, 31, 32, 32A, 32B, 50, 50A	Hand Gun Hose 25 ft., High Pressure	AB11805B	32.56
	5, 5A, 7	Hand Gun Hose 25 ft., High Pressure	AB13538B	34.02
2	10, 10A, 20, 20A, 22, 25, 25A, 29, 29A, 29B, 30, 31, 32, 32A, 32B	PTO Adapter (7 & 8 Roller Pumps)	AB11562B	4.36
	10, 10A, 20, 20A, 22, 25, 25A, 29, 29A, 29B, 30, 31, 32, 32A, 32B, Pre-Emergence Atts.	PTO Adapter (6 Roller Pump)	AB11563B	3.92
3	60	6 Roller Ni-Resist Pump	AB13224B	95.50
	10, 10A, 20, 20A, 22, 25, 25A, 29, 29A, 29B, 30, 31, 32, 32A, 32B, 50, 50A	6 Roller Grey Iron Pump	AB13963B	32.00
	10, 10A, 20, 20A, 22, 25, 25A, 29, 29A, 29B, 30, 31, 32, 32A, 32B, 50, 50A	6 Roller Ni-Resist Pump	AB13964B	41.50
	10, 10A, 20, 20A, 22, 25, 25A, 29, 29A, 29B, 30, 31, 32, 32A, 32B, 50, 50A	7 Roller Ni-Resist Pump	AB17332	53.00
4	5, 5A, 7, Pre-Emergence Atts. (for one planter only)	Gear Pump	AB10749B	41.92
	22, Pre-Emergence Atts. (for two planters only)	Gear Pump	AB11605B	58.01
5	10, 10A, 20, 20A, 22, 25, 25A, 29, 29A, 29B, 30, 31, 32, 32A, 32B	Piston Pump	AB12618B	90.00
	50, 50A	Piston Pump	AB12674B	90.00
	5, 5A, 7	Piston Pump	AB13242B	74.50
6	10A, 20A, 22, 25, 25A, 29B, 32A, 32B	Centrifugal Pump	AB16853	79.50
7	10, 20, 30, 31, 50, 50A	Valve Selector	AB11545B	18.50
8	10, 10A, 20, 20A, 22, 25, 25A, 29, 29A, 29B, 32, 32A, 32B, 50, 50A	Single Unit Valve	AB12283B	9.15
	10, 10A, 20, 20A, 22, 25, 25A, 29, 29A, 29B, 32, 32A, 32B	Double Unit Valve	AB12284B	18.75
	60	Triple Unit Valve	AB13734B	28.20
9	10, 10A, 20, 20A, 22, 25, 25A, 29, 29A, 29B, 30, 31, 32, 32A, 32B, 50, 50A	Surge Chamber	AB13445B	14.00
10	5, 5A, 7, 10, 10A, 20, 20A, 22, 25, 25A, 29, 29A, 29B, 30, 31, 32, 32A, 32B, 50, 50A	Pressure Surge Dampener	AB13241B	4.36
11	10, 10A, 20, 20A, 22, 25, 25A, 29, 29A, 29B, 30, 31, 32, 32A, 32B, 50, 50A, 60	Hand Gun (Standard Duty)	AB13439B	10.25
	29, 29A, 29B, 32, 32A, 32B, 50, 50A, 60	Hand Gun (Heavy Duty)	AB11056B	14.15
12	5, 5A, 7, 10, 10A, 20, 20A, 22, 25, 25A, 29, 29A, 29B, 30, 31, 32, 32A, 32B, 50, 50A	Hand Gun (Light Duty)	AB13237B	5.65
13	5, 5A, 10, 10A, 20, 20A, 22, 25, 25A, 29, 29A, 29B, 32, 32A, 32B, 50, 50A, Pre-Emergence Atts.	Globe Valve	AB11269B	3.60
14	29, 29A, 32, 60	Pressure Relief Valve	AB12285B	10.20
15	5, 5A, 10, 20, 29, 29A, 30, 31, 32, 50, Pre-Emergence Atts.	Pressure Regulator	AB14697B	7.35
	10A, 20A, 22, 25, 25A, 29B, 32A, 32B, 50A	Pressure Regulator	AB13937B	6.85
16	10, 10A, 20, 20A, 22, 25, 25A, 29, 29A, 29B, 30, 31, 32, 32A, 32B, 50, 50A	Pressure Gauge, 200 lbs.	AB11802B	5.39
	Pre-Emergence Atts.	Pressure Gauge, 60 lbs.	AB11803B	5.39
	5, 5A, 7, 10, 10A, 20, 20A, 22, 25, 25A, 29, 29A, 29B, 30, 31, 32, 32A, 32B, 50, 50A	Pressure Gauge, 400 lbs.	AB11804B	6.21
	5, 5A, 10, 10A, 20, 20A, 22, 25, 25A, 29, 29A, 29B, 30, 31, 32, 32A, 32B, 50, 50A	Pressure Gauge, 200 lbs.	AB12270B	4.71
17	10, 10A, 20, 20B, 30, 31	Suction Strainer	AB11097B	5.10
18	5, 5A, 7, Pre-Emergence Atts.	Line Strainer	AB10751B	7.35
19	30	Line Strainer	AB11093B	19.40
	29, 30, 31, 32, 50 (thru 1962)	Line Strainer	AB11393B	17.05
	22 (1965), 25, 29A, 29B, (thru 1965), 32A, 50 (1963-1964), 50A	Line Strainer	AB14161B	11.22
	22 (1966 on), 25A, 29B (1966 on), 32B, 60	Line Strainer	AB13733B	11.22
20	22, 25, 29, 29A, 29B, (thru 1965), 31, 32, 32A, 50, 50A	¾" Gate Valve	AB13557B	14.56
	25A, 29B (1966 on), 32B, 60	1" Gate Valve	AB16960	20.65
21	10, 20, 30, 31, Pre-Emergence Atts.	½" Ball Valve	AB16319	9.27
	30	¾" Ball Valve (Aluminum Tank)	AB11350B	17.36
	30	¾" Ball Valve (Steel Tank)	AB11391B	16.45



SPRAYER PUMP REPAIR KITS

Available for six or eight roller pumps, these kits contain rollers, seals, gasket and O-ring—all the parts required for a complete pump overhaul.

Pump	Kit	Price
6-Roller	AB14144B	$ 7.35
7-Roller	AB17262	11.95
8-Roller	AB14143B	11.85

"Only Genuine John Deere Parts Fit and Wear Like the Originals"

SWEEPS FOR ROW-CROP TRACTOR CULTIVATORS

John Deere Sweeps and Shovels are quality built and heat treated to do better work, give instant scouring and last longer. *Plus Low, Low Prices without Sacrifice in Quality!*

UNIVERSAL SWEEPS

This is a new line of highly polished sweeps that give instant scouring at economy prices. They have a low crown, a narrow shank, and a low wing angle for high speed cultivation. Sizes 5″ through 10″ are 3/16″ thick, 12″ through 16″ are 1/4″ thick with 2″ hole spacing.

Size (Inches)	Sweep	Price	Size (Inches)	Sweep	Price
5	N61108N, R.H. Half	93¢	8	N61101N	$1.01
5	N61109N, L.H. Half	93¢	10	N61102N	1.12
6	N61110N	93¢	12	N61103N	1.52
6 1/2	N61106N, R.H. 3/4	99¢	14	N61104N	1.99
6 1/2	N61107N, L.H. 3/4	99¢	16	N61105N	2.44

MIXED-LAND SWEEPS

Mixed-land sweeps have a high, broad crown, high-wing angle, and wide shank for throwing a large amount of soil and leaving a loose, mulched, mellow topsoil. They have a tumble blast finish. These sweeps are made from 1/4″ stock with 2″ hole spacing.

Size (Inches)	Sweep	Price	Size (Inches)	Sweep	Price
4	Y901	$ .92	10	Y804AN	$1.34
6	Y802AN	1.00	12	Y805AN	1.59
6 1/2	Y808AN, R.H. 3/4	1.08	14	Y806AN	1.99
6 1/2	Y809AN, L.H. 3/4	1.08	16	Y807AN	2.44
8	Y803AN	1.14			

BLACKLAND SWEEPS

Blackland sweeps are long and narrow with a high crown, a high-wing angle, and a tumble blast finish. They are designed for areas where scouring is difficult, and are excellent for hilling and ridging cotton beds. Sizes 4″ through 10″ are 3/16″ thick, 12″ through 20″ are 1/4″ thick with 2″ hole spacing.

Size (Inches)	Sweep	Price	Size (Inches)	Sweep	Price
4	Y845AN	$ .89	14	Y814AN	$2.51
6	Y846AN	.96	16	Y827AN	2.74
8	Y847AN	1.12	18	Y828AN	3.66
10	Y848AN	1.27	20	Y829AN	4.52
12	Y813AN	1.78			

SINGLE-POINTED SHOVELS (SPEAR POINTS)

Single-pointed shovels or spear points are excellent for killing weeds and for conditions where extreme care must be taken not to injure plants.

Size (Inches)	Hole Spacing (Inches)	Shovel	Price
2 x 7	1 1/4	Y730AN, 1/4″ Thick	$ .95
3 1/4 x 7	1 1/4	Y778AN, 3/16″ Thick	.88
3 1/4 x 7	2	Y794AN, 3/16″ Thick	.88
5 1/2 x 7 3/4	2	Y900N, 3/16″ Thick	.90
5 1/2 x 7 3/4	2	*Y786AN, 1/4″ Thick	1.23

*Soft Center Steel

PEANUT SWEEPS

This new line of sweeps has a low, narrow crown, low-wing angle, and a very narrow shank for high-speed cultivation with a minimum soil disturbance. These sweeps have 2″ hole spacing.

Size (Inches)	Thickness	Sweep	Price
6	3/16	N61116N	$ .96
6 1/2	3/16	N61114N, R.H. 3/4	1.05
6 1/2	3/16	N61115N, L.H. 3/4	1.05
8	3/16	N61117N	1.11
10	3/16	N61118N	1.23
12	1/4	N61119N	1.68
14	1/4	N61120N	2.14
16	1/4	N61121N	2.66
18	1/4	N61122N	3.71
20	1/4	N61123N	4.52

DOUBLE-POINTED SHOVELS

Double-pointed shovels are ideal for use where it is necessary to cultivate deep to stir up more ground. Reversible points provide double duty and long life.

Size (Inches)	Hole Spacing (Inches)	Shovel	Price
1 1/2 x 11	2	Y921N, 3/8″ Thick	85¢
1 3/4 x 11	1 5/8	N506M, 5/16″ Thick	81¢
2 x 11	1 1/4	Y722AN, 1/4″ Thick	73¢
2 x 11	2	Y763AN, 1/4″ Thick	73¢
2 1/2 x 11	1 1/4	Y950N, 1/4″ Thick	89¢
3 x 11	1 1/4	Y951N, 1/4″ Thick	99¢
3 x 11	1 1/4 to 2 1/4	Y980N, 1/4″ Thick	96¢

BOLT SETS FOR SWEEPS

Two plow bolts, two nuts and two washers make a complete set for each sweep and are plated to prevent rust. Ask for **CA1959AN.** **30¢**

If you use only one carriage bolt, washer and nut for the center hole, buy **CA1958AN.** **27¢**



SINGLE-SPRING TEETH

Single-spring teeth are 5/16″ thick and available in 1 3/4″ and 2 1/4″ width. They are made of high-carbon steel and for average cultivating conditions.

Width	Single-Spring Tooth	Price
1 3/4″	16035AN	$2.37
2 1/4″	21788AN	3.60

DOUBLE-SPRING TEETH

Double-spring teeth are for tough soils and severe cultivating conditions. Teeth and inner springs are high-carbon steel, 1 3/4″ wide, in 1/4″ and 5/16″ thickness.

Thickness	Shank Complete	Price	Spring Inner	Price	Spring Outer	Price
1/4″	CA2037AN	$6.66	20320AN	$2.30	20321AN	$2.30
5/16″	AN130092	7.93	N130074	2.95	N130075	2.95



SPRING-TRIP SHANKS

Spring-trip shanks were designed and developed for high-speed tractor cultivation to absorb the shock of striking obstructions. The shock is absorbed by the tension spring, which automatically permits the tool to "trip" back when the obstacle is cleared. Straight and offset shanks are available.

1⅜" Shank		1½" Shank		1½" Shank	
Straight	Price	1½" Offset	Price	Straight	Price
CA466AN	$7.79	CA501AN, R.H.	$8.29	CA523AN	$8.84
		CA504AN, L.H.	8.29		

QUICK-ADJUSTABLE SPRING-TRIP SHANKS

The major advantage of this shank over the spring-trip shank above is the quick adjustment to change the angle or "suck" of the sweep or shovel. The adjusting bolt quickly and accurately adjusts the angle of sweep or shovel to meet soil conditions.

Straight	Price	Offset	Price
CA497AN	$9.99	CA2194AN, R.H.	$10.41
		CA2198AN, L.H.	10.41

FRICTION-TRIP SHANKS

Friction-trip shanks are a low cost investment that provides satisfactory protection where obstructions are seldom encountered. They are reset by hand.

Straight Shank	Price	1½" Offset R.H.	Price	L.H.	Price
CA3263N	$5.59	AN61094N	$6.40	AN61095N	$6.40

SHANK CLAMPS

These clamps are furnished complete with bolts, and securely hold the shanks for correct alignment.

Description		Price
For 1 11/32" Rig	Use CA3564N Clamp	$5.41
For 1 13/16" Rig	Use CA3563N Clamp	5.54



CHISELS AND SPIKES

Used on toolbars and chisel plows, these chisels (A) and spikes (B) do a thorough job of weed eradication and opening up soil for better water penetration. These heavy-duty, high-carbon, forging-type steel points are reversible for extra long life.

Type	Size	Thickness	Hole Spacing	Part No.	Price
A	1½" x 11⅜"	½"	2"	Y850AN	$1.25
A	1½" x 11"	½"	1¼"	Q1153K	1.94
A	1½" x 11"	⅝"	2"	Y938N	1.37
A	1½" x 12"	½"	2¼"	Y920N	1.29
A	1¾" x 12⅛"	⅝"	2¼"	Q1154K	2.66
B	2" x 14"	½"	2¼"	Y918N	1.64
A	2" x 14"	⅝"	2¼"	Y916N	1.70
B	2" x 16"	½"	2¼"	Y919N	1.82
A	2" x 16"	⅝"	2¼"	Y917N	1.89

6-INCH CHISEL SWEEP $1.27

This new 6-inch chisel sweep for tool bars and chisel plows is used for weed eradication or heavy straw deposits. Wrap-around shank for extra strength, lighter draft, and ribbed point for longer wear are some of the features of this sweep. These sweeps are made from ¼" stock with 2¼" hole spacing. Ask for **N61113N.**

WHEATLAND SWEEPS

The Wheatland Sweeps are designed for stubble-mulching. The wing angle and contour are shaped to stir the soil, shear off weed roots and leave a loose top mulch to control soil erosion and conserve moisture. High carbon steel and wrap-around shank provide maximum strength. These sweeps have 2¼" hole spacing.

Size (Inches)	Sweep Reg. (¼")	Price	Hi-Crown (5/16")	Price
8	Y953N	$1.26	.....	.....
10	Y954N	1.58	.....	.....
12	Y955N	1.70	.....	.....
14	Y956N	2.08	Y978N	$3.12
16	Y957N	2.53	Y979N	3.56
18	Y958N	2.93	Y992N	4.32
20	Y991N	4.25	Y993N	5.29

DOUBLE-POINTED TWISTED SHOVELS

Twisted shovels are designed specifically for stiff and flat spring standards on tool bars and chisel plows, and do a very effective job of controlling cheat grass and similar hard-to-control weeds found in summer fallow. These shovels are made from ⅜" stock.

Size	Hole Spacing	Shovel	Price
3" x 22"	2¼"	Y994N, R.H.	$3.00
	2¼"	Y995N, L.H.	3.00

BEAVER TAIL SHOVELS

Beaver Tail Shovels are designed for stubble-mulch tillage work and are used on stiff, flat-spring and flat cushion spring standards. These shovels are made from ¼" high carbon steel with 2¼" hole spacing.

Size	Shovel	Price
4"	Y966N	$1.36
5"	Y967N	1.62
6"	Y968N	1.75



TOOL BAR AND CHISEL PLOW STANDARDS

A complete line of heavy-duty, field-proved standards—coil spring, stiff and flat spring are available for every ground working tool requirement. See us for the type needed in your particular soil condition.

	Coil Spring, Front R.H.	L.H.	Coil Spring, Rear R.H.	L.H.	Price
1" Sq.	C1240N	C1241N	C1242N	C1243N	$14.20
1¼" Sq.	C1340N	C1341N	C1342N	C1343N	18.50

Stiff Standard

Front	Price	Rear	Price
C1247N	$13.33	C1248N	$19.42

Flat Spring Standard

Regular	Price	Long	Price	High Clearance	Price
C1460N	$14.80	N61960N	$14.80	N61656N	$14.16

HEAVY-DUTY SWEEPS

These heavy-duty sweeps for tool bars and chisel plows are made from 1/4" high carbon steel for maximum durability. They cut off feeder roots and kill vegetation in subsurface cultivation. Sizes 6" through 14" have 2" hole spacing, sizes 16" and 18" have 2 1/4" hole spacing.

Size (Inches)	Sweep	Price	Size (Inches)	Sweep	Price
6	Y922N	$1.00	14	Y904N	$2.08
8	Y923N	1.23	16	Y914N	2.47
10	Y902N	1.38	18	Y915N	2.93
12	Y903N	1.66			

DOUBLE-POINTED SHOVELS AND CHISELS

Double pointed shovels and chisels are used for stubble mulch tillage work. They rough and groove the soil and at the same time do a thorough job of weed eradication. Hole spacing is 1 1/4" to 2 1/4".

Size	Thickness	Part No.	Price
2" x 16" (Slotted Hole Chisel)	1/2"	Y969N	$1.75
3" x 16" (Slotted Hole Chisel)	3/8"	Y970N	1.75
4" x 14" (Two Hole Shovel)	3/8"	Y971N	1.92

FURROWERS FOR KILLEFER STIFF STANDARDS

A

B

These furrowers (A) are used in preparing irrigation furrows . . . loosen the trench bottoms to aid water seepage. The **Q28714K** bull tongue (B) stops excessive wear on furrowers in abrasive soils. **Price $1.43.**

Size	Thickness	Furrower	Price
12"	3/16"	Q10404K	$3.70
15"	3/16"	Q10405K	4.70
18"	3/16"	Q10406K	6.10

FURROWERS FOR TOOL BARS AND CHISEL PLOWS

Furrow Openers are designed for stiff, flat spring and flat cushion spring standards. They are used for wind erosion work, also leaving the ground in a better condition to absorb and maintain moisture. Hole spacing is 1 1/4" to 2 1/4".

Size	Thickness	Furrower	Price
6"	3/16"	Y972N	$2.15
8"	1/4"	Y973N	3.14
10"	1/4"	Y974N	3.38

RUBBER TIRE FOR GAUGE WHEEL USED ON ALL ROW-CROP CULTIVATORS



This semi-pneumatic rubber tire is desirable when cultivating in damp soil. The flexing action promotes self-cleaning. Ask for **C1093N.**

$4.88

GAUGE WHEEL HUB ASSEMBLY

This complete assembly provides an easy and fast method of replacing gauge wheel hub parts. Each assembly consists of the hub, grease fitting, sleeve and two dust caps. Ask for **Hub AN130260.**

$6.07

SHANK CLAMPS TO ADAPT TOOL BARS TO ROW-CROP CULTIVATION



Key	Shank Size	Clamp	Price
1	1 3/8" Round	AK37065K	$ 4.57
2	5/8" x 1 1/2" Flat	AK35685K	4.69
3	3/4" x 2 1/2" Flat	AK35686K	11.28

SPRING-TOOTH SWEEPS AND SHOVELS FOR FIELD CULTIVATORS

Size	Description	Part No.	Price
1 1/2"	Double Point	NN668M	$1.94
1 3/4"	Double Point	N506M	.81
4"	Shovel	N674MN	.89
6 1/2"	Sweep	N1084MN	1.05
9"	Sweep	N846MN	1.21
10"	Sweep	N850MN	1.34
11 1/2"	Sweep	N973MN	1.92
14"	Sweep	N974MN	2.10

SPRING-TOOTH SHANK FOR FIELD CULTIVATORS

Model	Spring Tooth	Price	Helper, Tooth	Price
C-10, C-20, CC, CC-A, C-7	M18654M	$3.34	M18655M	$2.68
	M17809M	2.34	M17810M	2.25

WEEDING KNIVES FOR TOOL BAR, ROW-CROP AND VEGETABLE CULTIVATORS

These Weeding Knives are made from 5/32" high-carbon steel in three types; round-turn, square-turn and low-point. They are designed for beet, bean and vegetable cultivation. Main advantage of these knives is shallow peneration, close work and prevention of plant damage.

ROUND-TURN

Size	R.H. Knife	Price	L.H. Knife	Price
6"	M2325DN	$1.29	M2324DN	$1.29
8"	M2333DN	1.38	M2332DN	1.38
10"	Y982N	1.56	Y983N	1.56
12"	Y984N	1.73	Y985N	1.73

SQUARE-TURN

Size	R.H. Knife	Price	L.H. Knife	Price
6"	M2320DN	$1.29	M2321DN	$1.29
8"	M2340DN	1.38	M2341DN	1.38

LOW-POINT



Size	R.H. Knife	Price	L.H. Knife	Price
6"	M2322DN	$1.51	M2323DN	$1.51
8"	Y996N	1.84	Y997N	1.84

STRAIGHT SHANK FOR WEEDING KNIVES

This shank is made from 1 3/8" cold-rolled round bar and is complete with attaching bolts. Ask for **AN61142N.**

$3.10



HEAVY-DUTY VEGETABLE CULTIVATING STANDARDS AND CLAMP

This new line of standards is 5/8" x 2" spring steel heat treated for greater strength. They are 30-inches long to provide adequate clearance for high-growing crops. The K39280 standard for sweeps or shovels has holes on the opposite end for attaching side knives providing dual use. The AK39385 clamp attaches these standards to 2" or 2¼" square tool bars.

Key	Standard	Part No.	Price
1	Rear-Offset	K39281	$4.73
2	Curved	K39280	4.15
3	Straight-Offset	K39279	3.94
4	Straight	K39278	3.73
5	Clamp	AK39385	5.04

KNOTTER PARTS AND NEEDLES

For tight, longer-lasting knots

Each knotter used on John Deere Balers is made of precision-built parts that work together smoothly and quietly to tie better, tighter bales . . . bale after bale. Bill hooks, knife arms, twine knife, and baler needles . . . all are manufactured to closest tolerances, assuring accurate, dependable tying. Only tight, non-slip knots are made, which means better bales that hold together during rough handling.

Baler	Part No. and Description	Price
14T, 214T, 24T, 216T, 22T..	AE23614 Knotter, Cpt.	$52.20
14T, 214T, 24T, 216T, 224T.	AE11856E Bill Hook	7.65
	AE22894 Tongue	2.50
	BP13688E Pin	.14
14T, To Ser. No. 47539.....	AM2885E Knife Arm	8.55
14T, After Ser. No. 47540, 24T, 214T, 216T, 224T....	AE10455E	8.55
14T, 214T, 24T, 216T, 224T.	E11085E Twine Knife	1.05
14T, 214T	AM2931E Needle	10.65
214WS	AE11227E Needle	20.15
24T, 224T	AE15136E Nodular Needle	10.65
216T	AE14112E Needle	16.15
216WS	AE21481 Needle	20.15
224WS	AE21482 Needle	24.20
10 Hi-D	AE21483 Needle	20.15

$9.00

WIPER ARM MODELING TOOL FOR TWINE BALERS

Keep your baler Wiper Arm in proper adjustment with Tool Part No. **AE13260E.**

BALER and HARVESTER PARTS

SPRING TEETH

Balers . . . forage harvesters

The extra strength built in John Deere Spring Teeth provides durability, less breakage, lower replacement costs, and better work—longer. They are easy to attach, so replace those broken or lost teeth now before the use season.

	Description	Tooth	Price
BALERS			
14T, 214 Series, 24T.....	Pickup Cylinder	276SE	$ .57
323W, 216, 10 Hi-D.....	Pickup Cylinder	E13784E	.68
224.....	Pickup Cylinder	E17615E	1.06
FORAGE HARVESTERS			
6, 12.....	Pickup Cylinder	268SE	.57
	Upper Feeder	298SE	1.46
	Lower Feeder	269SE	.87

BALE AND ACRE COUNTERS



A counter eliminates the guesswork . . . it keeps count for you. Reset types can be changed to zero at any time. Both types are sealed against dirt and moisture.

	Counter	Price
BALERS		
14T, 214 Series:		
(Reset type).....	AM2980E	$17.50
(Non-reset type).....	AM3190E	9.57
24W, 24T, 216, 224, 10 Hi-D:		
(Reset type).....	AE13667E	17.51
(Non-reset type).....	AE14867E	9.57
GRAIN DRILLS (Reset Type)		
LZ147, LZ714, LZ812, LZ1010.....	AM12618M	18.94
B, BA, B-B, LL-A, LZ-B, PD-A.....	AM13091M	17.55
FB-B, DF-B.....	AM13144M	19.44
DR-A.....	AM13145M	17.86
DR-B.....	AM50501	19.85

BALER KNIVES

Save power and tie clean-cut bales with new stationary and plungerhead knives. Made from high-quality alloy steel, these knives are tough, sharp, and durable to meet the toughest field requirements.

Baler	Knife: Stationary	Price	Knife: Plungerhead	Price
14T	BP13474E	$8.02	E17299E	$10.63
214 to Serial No. 9567				
Roller Plunger	BP14289E	8.84	E18870E	10.20
Steel Slide Plunger.....	BP14289E	8.84	E17299E	10.63
214 After Serial No. 9577				
Roller Plunger.....	E13832E	9.39	E18870E	10.20
Steel Slide Plunger.....	E13832E	9.39	E17299E	10.63
24T To Serial No. 2425....	E14462E	8.41	E14573E	10.20
24T After Serial No. 2426..	E18913E	9.39	E14573E	10.20
216	E17531E	9.92	E17447E	11.93
224	E17777E	9.39	E16461E	10.74
10 Hi-D	E13419E	7.05	E13457E	8.24

SHEAR BOLTS AND PINS

Don't risk serious damage to your baler by using anything but Genuine John Deere Bolts and Pins. These parts are manufactured to rigid specifications to meet the safest maximum load at the points of stress. No substitutes should ever be used!

Baler	Part No.	Description	Price
14T to Ser. No. 32867	BP13774E	Flywheel Shear Bolt	$ .11
	C12202C	Nut	.04
14T After Serial No. 32868, 24 Series, 214 Series PTO, 216 Series 224, 323W, 10 Hi-D	BP13931E	Flywheel Shear Bolt	.11
	C12202C	Nut	.04
214 Series—Engine...	BP14125E	Flywheel Shear Bolt	.11
224 Series—Engine...	BP12232E	Nut	.07
14T, 214T, 214WS to 1961	34H45	Needle Lift Link	.02
After 1961	E12438E	Shear Pin	.06

GATHERER CHAINS

John Deere Gatherer Chains are big capacity and long wearing with extra-strong, self-cleaning lugs. They are designed to operate close to the ground, picking up material that would otherwise be lost. Each chain is matched to the job to assure longer, more dependable service and greater resistance to stretch. Check the condition of your gatherer chains and replace if needed.

Row-Crop Harvesters	Gatherer Chain	Description	Price
6—1-Row (Steel)	AE12164E	Upper (2)	$11.13
	AE12165E	Lower (2)	9.49
(Roller Type)	•AE12462E	Upper (2)	19.15
	•AE12464E	Lower (2)	11.95
6—2-Row (Steel)	AE12976E	Upper (2)	8.00
	AE13844E	Lower (2)	8.59
	AE13843E	Island (2)	7.42
(Roller Type)	*AE13033E	Upper (2)	16.10
	*AE13987E	Island (2)	14.55
	*AE13848E	Lower (2)	13.05
6A	AE12168E	Upper	15.79
	AE11092E	Lower	13.20
	AE13368E	Center	10.65
12—1-Row	§AE10392E	Upper (2)	18.10
	§AE10390E	Lower (2)	11.35
12—2-Row	†AE13990E	Upper (2)	22.75
	†AE11357E	Lower (2)	12.25
	†AE11360E	Center (2)	15.30
	†AE13991E	Island (2)	10.90

*Use AE13989E Coupler, 37¢
• Use E14764E Offset, 41¢; E14765E Coupler, 37¢
†Use AE13995E Coupler, 55¢
§ Use C10233C Offset, 38¢; C10263C Coupler, 36¢

FORAGE HARVESTER KNIFE SECTIONS



Same long-wearing, sharp, and shear-cutting quality as John Deere Mower Sections. Heat-treated cutting edges and tough center core provide dependable operation, and they're underserrated for easy cutting of tough cornstalks.

Forage Harvester	Section: Row Crop	Price	Mower Bar	Price
6—1-Row (-6600)	E12184E	$2.80	P48957H	23¢
6—1-Row (6601-)	E15270E	2.80	.....	....
6—2-Row	E15602E	40.34	P48957H	23¢
	E17612E	53.19	.....	....
6A	E10609E	1.61	P48957H	23¢
8	H1038H	.53	Z7029H	19¢
12—1-Row (-40975); 2-Row (-50250)	E12184E	2.80	P48957H	23¢
12—1-Row (40976-); 2-Row (50251-)	E15270E	2.80	P48957H	23¢
34—1-Row	E33368	4.42	H30171H	27¢
2-Row	E33368	4.42	.....	....
38—1-Row	E33368	4.42	H30171H	27¢
2-Row	E33368	4.42	.....	....

GATHERING BELTS FOR 34, 38 HARVESTERS



Gathering Belt	Price
AE21779	$36.80

FORAGE HARVESTER AND ROTARY CHOPPER KNIVES

These big-capacity knives cut down to size tons of forage every working hour without pause. Made from high-quality alloy steel, they are precision ground to assure straightness and uniform thickness. Extra tough and durable, they resist shock breakage and provide dependable operation. Tungsten Carbide Knives increase operating life and stay sharp longer.

Knives

Model	Stationary	Price	Rotating	Price	Rotor	Price
6	AE12651E (-9250)	$15.02	E10365E Regular	$ 8.59	.....	.....
	AE14981E (9251-)	14.35	E11413E Chrome	10.95	.....	.....
8	AE14979E	14.31	C3074E Regular	7.48	.....	.....
			E11377E Chrome	9.53	.....	.....
12	AE12651E (-21950)	15.02	E11377E Chrome	9.53	.....	.....
	AE14981E (21861-)	14.35				
15	C4187E Straight	3.41	C4186E Regular	5.90	C4203E, L.H.	$2.97
	C4188E Curved	3.85	E11414E Chrome	7.59	C4204E, R.H.	2.97
15A, 16A	C4187E Straight	3.41	C4186E Regular	5.90	E13034E	2.76
	C4188E Curved	3.85	E11414E Chrome	7.59	.....	.....
34	E35559	21.13	*E36203 (6)	16.93		
			E36831 (6) (Hardened)	23.10		
38	E35650	18.90	* E33221 (6)	23.05		

*Cutterhead Knife

RUBBER BALL-JOINT TEETH

Side-delivery rakes

The John Deere Rubber Ball-Joint Tooth is new and exclusive. It has 360-degree flexibility permitting it to "flex" around or over field obstructions; holding breakage to a minimum and reducing downtime. It has a very low price! **Ask about the New AE15152E Stainless Steel Tooth.**

Rake	Tooth	Price
350, 851, 858, 890, and 858A Above Ser. No. 88951	AE12156E Clip Type	$ .80
350, 890 Series	AE11472E Stud Type (End)	.75
858A, Ser. No. 87201-88950	AE11188E Stud Type	.66
640	**AE15152E Clip Type (Stainless Steel)**	1.39

SPRING TEETH

Side-delivery rakes

John Deere Spring Teeth do a clean job of raking; are made of heavy, tempered steel wire to assure the utmost in performance at faster speeds. The extra strength built into these spring teeth provides durability, less breakage, lower replacement costs, and better work, longer. They're easy to attach, so replace those broken or lost teeth now before the use season.

Rake	Description	Tooth	Price
350, 851, 858, 894, 896	Tooth Pipe, Single	257SE	41¢
553, 594, 594LW	Tooth Pipe, Regular	175SE	51¢
	Tooth Pipe, Heavy	186SE	60¢
596, 714	Tooth Pipe	237SE	60¢

SINGLE-ACTING REMOTE HYDRAULIC CYLINDER $41.25



This single-acting cylinder allows the operator to control the working height of the rake teeth from the tractor seat. The hydraulic action of the cylinder raises the reel instantly when the operator moves the control lever on the tractor. Adapting parts and hose extensions for various rakes also available.

Rake	Single-Acting Cylinder
350, 640, 850, 890 Series	BE10513E

STRIPPER MODELING TOOL $1.80

The stripper modeling tool enables you to properly align strippers which have become bent or misaligned, thus permitting free movement of the side delivery rake teeth. Ask for **BE10121E.**

"Only Genuine John Deere Parts Fit and Wear Like the Originals"

MOWER PARTS

KNIVES

Clean cutting . . . smooth or serrated . . . regular, chromed

Heavy-duty knife heads, precision ground sections that are razor sharp and evenly hardened, and expert workmanship are combined to give you complete assemblies ready to go to work. No adjustment corrects a badly worn knife. Avoid costly field stops by installing a new knife, and keep a spare on hand! Chromed sections and knives stay sharp longer, are non-gumming, rust resistant, smoother running and longer wearing. Try them—you will mow more acres at less cost.

Mower	Size and Type	Regular	Price	Chromed	Price
5, 8, 9, 11 (Prior to 1963)	Smooth, Heavy, 5 Ft.	AZ1346H	$12.49	.....	.....
	Underserrated, Heavy, 5 Ft.	AZ1354H	13.91	.....	.....
10	Smooth, Heavy, 5 Ft.	AH15257H	13.84	AH16106H	$15.94
	Underserrated, Heavy, 5 Ft.	AH15258H	15.06	AH16105H	17.15
5	Smooth, 6 Ft.	AZ948H	12.05	.....	.....
	Underserrated, 6 Ft.	AZ1292H	13.47	.....	.....
5, 8, 9, 11, 37, 38, 39	Smooth, Heavy, 6 Ft.	AZ956H	13.47	.....	.....
	Underserrated, Heavy, 6 Ft.	AZ1294H	14.86	.....	.....
10	Smooth, Heavy, 6 Ft.	AH15259H	15.66	AH16108H	18.17
	Underserrated, Heavy, 6 Ft.	AH15260H	16.85	AH16107H	19.36
5	Smooth, 7 Ft.	AZ952H	13.32	AH13100H	16.23
	Underserrated, 7 Ft.	AZ1297H	14.72	AH13103H	17.63
5, 8, 9, 11, 37, 38, 39	Smooth, Heavy, 7 Ft.	AZ958H	14.72	AH13102H	17.63
	Underserrated, Heavy, 7 Ft.	AZ1299H	16.11	AH13104H	19.03
10	Smooth, Heavy, 7 Ft.	AH15261H	17.46	AH16110H	20.37
	Underserrated, Heavy, 7 Ft.	AH15262H	18.66	AH16109H	21.60
8, 9, 11, 37, 38, 39	Smooth, Heavy, 9 Ft.	AZ3987H	17.54	AH13101H	21.34
	Underserrated, Heavy, 9 Ft.	AZ3988H	18.95	AH13105H	22.74

MOWER PARTS

SECTIONS

Heat-treated . . . tough . . . sharp . . . regular, chromed

Smooth or serrated, John Deere Sections stay sharp longer. The use of high-carbon steel, the even hardness pattern on the cutting edges, the tough center for resisting shocks, the razor-sharp cutting edges, and constant quality checks insure you better, cleaner cutting for longer periods. Chromed sections increase life—yet cost only a few cents more. Sections are packed twenty-five to a carton . . . buy a couple of cartons today!

Type	Regular	Price	Chromed	Price
Smooth	Z5571H	18¢	H21524H	25¢
Smooth, Heavy	Z6451H	19¢	H21525H	27¢
Underserrated	Z7029H	19¢	H21529H	27¢
Underserrated, Heavy	Z7030H	23¢	H21530H	30¢
Top Serrated.	Z5654H	19¢	.....	....

MOWER GUARDS

Regular malleable . . . forged steel rock . . . two-tine

Each is well suited to a variety of conditions. Greater strength, slim smooth design for better penetration, correct lip shape, and tight fit assure cleaner shearing action for a first-class mowing job. The rock guards have square heels to help keep the guards in alignment . . . even under heavy impacts. The forged steel two-tine guard without a guard plate gives maximum penetration in heavy tangled crops. The guard is streamlined for reduced ground resistance and less cutter bar drag. Replace those bent and broken guards now with John Deere Guards that are designed for tough mowing conditions. Single guards are furnished with beveled-edge guard plates that wear sharp.

Type	Inside	Price	Outside	Price
Regular Malleable.....	Z463H	$1.32	Z463H	$1.32
Forged Steel Rock.....	AZ2131H	2.20	AZ2132H	2.22
Two-Tine	E33940	2.59	.....	....

GUARD PLATES

High carbon steel . . . heat-treated . . . regular or chromed



These guard plates are tough and long wearing. The cutting edges are hardened, while the core is left tough to prevent breaking and cracking. The beveled serrated edges stay sharp for clean shearing action.

Type	Part No.	Price
Regular.....	Z5110H	19¢
Chromed.....	H21532H	26¢
Outer Shoe.....	Z5204H	19¢

MOWER GUARD WITH SNAP-IN GUARD PLATE

Here's a timesaver! Guard plates can now be replaced on the mower in a few seconds. There are no pins or rivets. The new malleable guard has a lip wider than the guard plate. The wide guard lip holds material properly for shear cutting and protects the cutting surface of the guard plate against damage—longer guard plate life.

Only chromed beveled edge guard plates are used. They wear sharp, resist gumming, and are rust resistant — assuring smooth, efficient cutting action. Buy a complete set—modernize your cutter bar and save mowing time.

Part No.	Description	Price
AH18692H	Guard	$1.59
AH18693H	End Guard	1.59
H31813H	Guard Plate, Chromed.....	.26

DAWSON PROCESS ARMORED SECTIONS

BOTTOM TOP

Note the hard-surface pattern on the bottom view.

Here's a John Deere exclusive

They last up to 4 times longer. The incredible hard surface of the cutting edges are highly resistant to damage from stones or other foreign material — breakage is practically nil.

The sections not only require less frequent sharpening but can be resharpened from the bevel side without grinding back beyond a "rounded" bottom edge prevalent on other sections. The bottom edge remains sharp and you get clean, shear cutting acre after acre. Increase your mowing capacity per day by installing new John Deere Dawson process sections.

Mower	Knife	Price	Section	Price
5, 8, 9, 11, 37, 38, 39....	AH19018H, 6′	$19.61	H30461H	43¢
	AH17432H, 7′	21.88	H30461H	43¢
8, 9, 11, 37, 38, 39.....	AH17433H, 9′	26.75	H30461H	43¢
10.....	AH18207H, 7′	24.62	H30461H	43¢

KNIFE HOLDERS



John Deere Forged Steel Knife Holders fit better, work better, and last longer. They have the strength to resist wear and absorb shock. The lips hold the cutting knife in shear contact with the guard plates at both the front and rear, giving a clean shear cut. Don't be misled by substitutes; buy only Genuine John Deere Knife Holders.

Mower	Knife Holder Inner	Price	Middle	Price	Outer	Price
5	H11121H	81¢	H31754H	71¢	H31754H	71¢
8, 9, 11, 37, 38, 39 ...	H11121H	81¢	H31754H	71¢	H31753H	92¢
10	H11121H	81¢	H31754H	71¢	H31753H	92¢
	H31753H (No. 2)	92¢				

WEARING PLATES 57¢

Hardness . . . file hardness . . . is the big reason for the longer wearing service provided by John Deere Wearing Plates. It's actually just that . . . hardness that resists filing to last longer and perform better. Each part is carefully trimmed to fit better and provide a smoother surface for the knife. **Order part number Z5926H** and put your cutter bar in like-new condition.

PITMANS

Complete . . . wood only



Straight-grained hickory, famed for its toughness and flexibility, is used in John Deere Mower Pitmans. Always in adustment, wear is taken up automatically as it occurs between the pitman straps and knife head. John Deere Pitmans are easy on . . . easy off.

Mower	Pitman Complete	Price	Wood, Only	Price
5 (Regular)	AZ2497H	$16.64	Z9298H	$1.89
5 (Ball Bearing).....	AZ2956H	29.67	Z9298H	1.89
8, 9, 39N.....	*AH12878H	16.04	Z9913H	1.89
8W, 9W, 11, 37, 38, 39.	*AH16247H	18.84	H28286H	3.15
20, 20A.....	AZ3419H	21.41	Z9298H	1.89
51	AZ3141H	20.16	Z8869H	1.89

*Less bearing box.

UTILITY CUTTING PARTS

Here's a real bargain in utility mower guards, guard plates, sections, knives and knife heads. Completely interchangeable with original equipment, yet low in cost—replace those worn parts now!

Key	Part No.	Description	Price
1	AH61586	Guard	95¢
2	AH61587	Guard, Outer	95¢
3	H61438	Guard Plate	12¢
4	H61439	Section, Smooth, Heavy	13¢
5	H61440	Section, Un-Serr., Heavy .....$	.15
6	H61441	Knife Head	2.49
7	AH61588	Knife, 7′, Smooth, Heavy	$9.34
	AH61589	Knife, 7′, Un-Serr., Heavy	9.95

GUARD BOLTS

John Deere Guard Bolts are plated, heat treated and have high strength for positive holding of guards and knife holders. Extra thick nuts are used to insure a tight, snug fit. The additional height of the nut prevents wrench slippage, is safer, and provides a positive method of tightening guards. Keep a supply on hand.

Guard Bolt	Part No.	Price
For Guard only (Short)	AA14821	20¢
For Guard and Knife Holder (Long)	AA14822	20¢
Extra Thick Nut or Guard Bolt	A15498	6¢

KNIFE HEADS

Extra strength, plus the patented no-bind feature, makes this part an outstanding field performer. The recess beneath the ball eliminates binding by allowing the pitman straps a greater swivel range around the ball, and gives John Deere Knife Heads a great superiority over others.

Mower	Knife Head	Price
5, 8, 9, 11, 37, 38, 39	H28076H	$3.30
10	AH15458H	6.29

MOWER SHOE SUBSOLES

Both inner and outer John Deere Subsoles are adjustable to vary the height of cut. Made from high-carbon, flat steel, each subsole is formed accurately to the shape of the mower shoe for exact fit and even weight distribution. Formed while red hot, they are cooled slowly to add toughness and prevent breakage.

Mower	Subsole			
	Inner	Price	Outer	Price
5, 8, 9, 10 11, 37, 38, 39	H24076H	$3.31	AH11948H	$2.10

MOWER SHOES

Replace worn or broken mower shoes with genuine John Deere. They are sold complete with guard plates riveted in place.

Mower	Shoe			
	Inner	Price	Outer	Price
5 All Sizes	Z541H	$17.06	AH13580H	$10.08
8, 8W — 5′, 6′ to Serial No. 57001	Z541H	17.06	AH13580H	10.08
8, 8W — 6′, 7′ Serial No. 57001 and Up	AH19069H	20.16	AH13580H	10.08
9, 9W — 5′, 6′ to Serial No. 44401	Z541H	17.06	AH13580H	10.08
9, 9W — 6′, 7′ Serial No. 44401 and Up	AH19069H	20.16	AH13580H	10.08
8, 8W — 7′, 9′ to Serial No. 57001	AH11967H	20.00	AH13580H	10.08
8, 8W—9′ Serial No. 57001 and Up	AH19068H	19.85	AH13580H	10.08
9, 9W—7′, 9′ to Serial No. 44401	AH11967H	20.00	AH13580H	10.08
9, 9W—9′ Serial No. 44401 and Up	AH19068H	19.85	AH13580H	10.08
10—5′, 6′	AH16749H	23.84	AH13580H	10.08
10—7′ to Serial No. 4701	AH16749H	23.84	AH13580H	10.08
10—7′, 9′ Serial No. 4701 and Up	AH18049H	25.46	AH13580H	10.08
11—5′, 6′ to Serial No. 3751	Z541H	17.06	AH13580H	10.08
11—6′, 7′ Serial No. 3751 and Up	AH19069H	20.16	AH13580H	10.08
11—7′, 9′ to Serial No. 3751	AH11967H	20.00	AH13580H	10.08
11—9′ Serial No. 3751 and Up	AH19068H	19.85	AH13580H	10.08
37, 38, 39—6′, 7′	AH19069H	20.16	AH13580H	10.08
37, 38, 39—9′	AH19068H	19.85	AH13580H	10.08

PITMAN STRAPS $2.35

Many pitman straps are made of malleable iron, but John Deere Straps are forged steel. Hardened forged steel wears many times longer, and is much stronger than malleable iron. For best results, replace in pairs.

Mower	Pitman Strap	
	Front	Rear
5, 20, 20A, 51	H22717H	Z9916H
8, 9, 11, 37, 38, 39	H22717H	H22718H

GRASS BOARD

$4.91

Made from straight-grained oak, these John Deere Grass Boards are tough to withstand splitting and breakage. Each board is smoothly finished to reduce friction. Ask for **AH12932H.**

MOWER LIFTING GUARD

$5.78

Save down, badly lodged or tangled crops by equipping your mower with John Deere Lifting Guards. Designed with sufficient strength to withstand field shocks, their streamlined, adjustable points gently glide under and lift the crop so it can be cut . . . saving grain which would otherwise be lost. Ask for **AZ2293H.**

RIVETS

Section . . . guard plate . . . pitman straps . . . knife heads

Special cartons of rivets are available for quick replacement jobs. Keep a supply on hand.

Description	Rivets	Price
Regular Mower Sections (1 Lb.)	Z5086H	55¢
Chromed Mower Sections (1 Lb.)	AH17776H	44¢
Regular Combine Sections	16H657	100/73¢
Chromed Combine Sections (½ Lb.)	AH10972H	48¢
Mower Guard Plates (1 Lb.)	AH61134	57¢
Combine Guard Plates (1 Lb.)	AH61138	58¢
Mower Pitman Straps (Prior to 1960)	16H1156	3¢
Mower Assorted Section, Guard Plate, and Knife Head (1 Lb.)	Z5090H	62¢
Mower Knife Heads (1 Lb.)	Z5874H	48¢
10 Mower Knife Heads (½ Lb.)	AH15500H	25¢
Combine Knife Heads (1 Lb.)	AH17830H	88¢

GUARD AND KNIFE REPAIR BLOCK

$13.56

This convenient block, which fits any guard or knife, makes a quick, easy job of replacing guard plates, guards, sections, and straightening knives. Part number **AP17210H.**

KNIFE HEADS

Replace worn knife heads with a specially designed head that is made extra strong for the job. John Deere One-Piece Knife Heads wear longer and fit right.

Combine	Part No.	Price
12A, 25	AP15240H	$ 2.56
30	PK1915H	1.18
40, 42, 45	PK1885H	1.38
65, 96	AH12108H	3.16
55, 95, 105 (Prior to 1964)	AH12108H	3.16
55, 95, 105 ((Rice) (Prior to 1964)	AP23886H	3.16
55, 95, 105 (1964 and Up)	AH21346H	11.81
55, 95, 105 (Rice) (1964 and Up)	AH21347H	11.81

KNIFE HEAD GUIDES

Worn knife head guides permit loose knife head operation, causing unnecessary wear and "pounding." Take up this looseness with new knife head guides and eliminate poor cutting and excessive noise.

Combine	Part No.	Price
30, 40, 42, 45	P47380H	70¢
55, 95, 105 (Up to 1964)	P41502H	98¢
65, 96	P41502H	98¢

KNIFE HOLDER AND WEARING PLATES

Put your cutter bar in like-new operating condition by replacing worn knife holders and wearing plates. New John Deere Holders and plates will hold the sickle flat and in precise alignment for cleaner, shearer cutting.



Combine	Knife Holder Regular	Price	Inner	Price	Wearing Plate	Price
12A, 25	PK24H	63¢	.....	....	P27038H	57¢
30, 40, 42	PK1884H	46¢	PK1653H	63¢	Z5926H	57¢
45, 55, 65 to 1959	P2135H	46¢	.....	....	Z5926H	57¢
45, 55, 65 After 1959, 95, 96, 105	PK1884H	46¢	.....	....	Z5926H	57¢

KNIVES WITH KNIFE HEADS

Regular . . . Chromed

Don't waste harvest time with field stops due to a badly worn knife. Install a new John Deere Knife before harvest. Keep a spare on hand.

Combine	Size Feet	Part No.	Price
12A, 25	6	AP15275H	$14.73
	7	AP22381H	16.38
30	7	AP24720H	18.32
40	8	AH16010H	22.24
	10	AH16011H	30.10
42	9	AH16020H	26.17
45	8	AH16012H	22.24
	10	AH16013H	30.10
	10	*AH16014H	34.49
	12	AH16015H	35.34
65, 96	12	AH12115H	35.34
55 (Up to 1964)	12	AH12115H	35.34
	12	AP24726H (Rice)	33.38
	12	*AH14370H	40.38
55, 95 (Up to 1964)	13	AH13191H	37.97
	13	AH16235H (Rice)	35.98
55, 95, 105 (Up to 1964)	14	AH12116H	40.57
	14	AP24727H (Rice)	38.59
	14	*AH14371H	46.44
	14	**AH17396H (3¼" Sec.)	52.84
	14	**AH17394H (4" Sec.)	48.31
95, 105 (Up to 1964)	16	AH12117H	45.80
	16	*AH12433H	52.52
	16	AH10529H (Rice)	43.85
	16	**AH17395H (3-¼" Sec.)	59.83
	16	**AH17393H (4" Sec.)	54.93
	18	AH12118H	51.04
	18	*AH12432H	58.59
	20	AH16078H	56.28
	20	*AH17518H	64.69
105 (Up to 1964)	22	AH16504H	61.51
	22	*AH17519H	70.76

*Chromed section. **Armored section.

KNIVES (Less Head)

55, 95, 105 Combines (1964 and Up)

Size	3" Sections	Price	4" Sections	Price
12 Ft.	AH19799H	$30.32	AH21014H	$29.10
	**AH20268H	41.82	**AH21018H	38.68
	*AH20262H	36.81	.....	
13 Ft.	AH19800H	32.98	AH21015H	31.50
	**AH20269H	45.27	AH21019H	41.60
	*AH20263H	40.49	.....	
14 Ft.	AH19801H	35.54	AH21016H	33.84
	**AH20270H	49.05	**AH21020H	44.69
	*AH20264H	42.93	.....	
16 Ft.	AH19802H	40.81	AH21017H	38.63
	**AH20271H	56.02	**AH21021H	51.39
	*AH20265H	48.95	.....	
19 Ft.	AH19803H	48.26	.....	
	**AH20272H	65.70	.....	
	*AH20266H	57.77	.....	
22 Ft.	AH19804H	56.50	.....	
	**AH20273H	77.46	.....	
	*AH20267H	67.25	.....	

95, 105 Combines (1965 and Up)

20 Ft.	AH60489	$51.07
	**AH60491	68.95
	*AH60490	61.50

*Chromed section. **Armored section.

SPIKE TOOTH CYLINDER TEETH 47¢

Your combine threshing efficiency is greatly reduced when the cylinder teeth become worn or broken. Check your cylinder and order a supply of part number **P44H** (Regular), **H33286H** (Thin), Cylinder teeth, 14H865 Nut (3¢) and 12H301 Lock Washer (2¢).

FINGERS FOR PICKUP REELS

Replace those missing or broken fingers with the Genuine. Pick up some extras to keep a few spares on hand. Remember to get some clips and rivets, too.

Finger	Price	Clip	Price	Rivet	Price
H33316H	46¢	H33317H	8¢	H33318H	2¢

SECTIONS

Regular, Chromed, or Armored

John Deere Combine Sections have built-in quality that assures cleaner cutting . . . more grain in the tank. They're made from high-carbon steel; cutting edges are evenly hardened by electric heat induction for clean cutting and longer life. The center of each section is left relatively soft, but extremely tough, to absorb field shocks. Get your combine in top working order, so you'll be ready for harvest. Replace those worn or chipped sections for clean, sharp cutting. Keep an extra carton of 25 on hand.

Combine	Type	Part No.	Price
12A, 25....	Underserrated	Z7029H	19¢
		H21529H Chromed	27¢
30, 40, 42, 45, 55, 65, 95, 96, 105.	Serrated (3")	P49650H	23¢
		H21527H Chromed	30¢
	Serrated (4")	P23450H (Rice)	23¢
		H30387H Armored (Rice)	44¢
	Smooth (3")	H30388H Armored	43¢
55, 95, 105 (1964 & Up)	Half Section	H33433H	9¢

GUARD PLATES

John Deere Combine Guard Plates meet tough requirements for hardness and durability. Their high-carbon steel and precision fit are outstanding features. Keep a supply on hand.

Combine (Prior to 1960)	Part No.	Price
12A, 25.....	P26610H	19¢
30, 40, 45, 55, 65, 95.....	P25723H Regular	19¢
	H21531H Chromed	26¢

SELF-SHARPENING GUARDS *Two tine . . . three tine*

These rugged cutter bar guards insure a precision relationship between the cutting edges of the section and guards. They are streamlined to insure better penetration and save more of the crop.

Guards for self-propelled combines are forged steel for extra strength and require no guard plate. Replace those broken or bent guards for clean cutting and less shattering.

Combine	Two-Tine	Price	Three Tine	Price
12A, 25.....	AP10566H	$2.04	AP10565H	$2.93
30.....	.....	.....	AP15069H	3.09
40, 42, 45, 55, 65, 95, 96, 105.....	H61954	2.18	H25603H	3.09

SMALL COMBINE CANVASES AND SLATS—PLATFORM . . . FEEDER



Extra strong and rubberized for toughness and durability—that's John Deere Canvases. The rubberized material is completely flexible and provides smooth, even feeding. Cut to exact measurements, the canvases run straight. Only straight-grained, high-quality wood slats free of knots and splits are used. The canvas is connected by a steel connecting slide bar—an exclusive time and labor saver. Avoid field delays and keep a spare on hand.

Combine	Canvas Platform	Price	Canvas Feeder	Price
12A, 25.....	AP21490H	$58.37	AP21488H	$29.98

Slat	Price	Connecting Bar	Price
P32983H	.74	AP11785H	$2.84

COMBINE STONE TRAPS

(Trough-Type) (Grain platform) (Rasp-Bar Cylinder)

Here's real protection in stony areas for vital combine separating and threshing parts—the trough-type stone trap. This new trap works effectively with all models of corn attachments and can be left in for grain, soybeans, etc. It is rugged—made from heavy 3/16" steel plate.

Combine	Serial Number	Stone Trap	*Price	Miscellaneous Parts	*Price
40 and 42..	(—)	BH60110	$22.25	BH60108	$ 2.70
45.....	(27901-)	BH12142H	19.25	BH60107	8.55
55.....	(-69001)	BH12114H	14.75	BH12116H	8.55
	(69001-78000)	BH12114H	14.75	BH60369	7.75
65.....	(-15001)	BH12114H	14.75	BH60370	8.75
95.....	(-20001)	BH12117H	21.75	BH12119H	11.00
	(20001-29000)	BH12117H	21.75	BH60371	9.25
95H.....	(—)	BH12117H	21.75	BH12119H	11.00
96.....	(- 4501)	BH12117	21.75	BH60373	10.50
105.....	(- 3001)	BH12120H	27.00	BH12122H	14.00
	(3001- 7000)	BH12120H	27.00	BH60368	12.00

*Whole Goods—Price Does Not Include Freight

RASP BARS

Replace your worn rasp bars with Genuine John Deere Rasp Bars for more aggressive, thorough threshing action with less cracking and damage to the crop. These bars are sturdy, long-wearing parts made from corrugated rolled steel. Your combine cannot thresh properly with worn or damaged rasp bars. To maintain correct balance, always replace two bars — one directly opposite the other.

Combine	Rasp Bars (Set of 2) R.H.	Price	L.H.	Price
12A, 25—8 Bar.....	AP19725H	$22.31	AP19726H	$22.31
25, 30—6 Bar.....	*AP23200H	27.01	*AP23200H	27.01
40 (Up to Ser. 7001).....	AH13971H	7.11	AH13972H	7.11
(Ser. 7001 and Up)....	AH20455H	7.11	AH20456H	7.11
42 (Up to Ser. 4001).....	AH13971H	7.11	AH13972H	7.11
(Ser. 4001 and Up)....	AH20455H	7.11	AH20456H	7.11
45.....	AP23404H	9.40	AP23405H	9.40
55 (Up to Ser. 12051)....	AP20848H	16.59	AP20849H	16.59
(Ser. 12051-69000)...	AP20709H	11.55	AP20710H	11.55
(Ser. 69001 and Up)...	AH20465H	11.55	AH20467H	11.55
65 (Up to Ser. 14001)....	AP20709H	11.55	AP20710H	11.55
(Ser. 14001 and Up)...	AH20465H	11.55	AH20467H	11.55
95 (Up to Ser. 20001)....	AH10143H	13.13	AH10144H	13.13
Ser. 20001 and Up)...	AH20469H	13.13	AH20470H	13.13
96.....	AH20469H	13.13	AH20470H	13.13
105.....	AH64822	15.00	AH64823	15.00

HARDENED RASP BARS

45.....	AH12621H	$12.80	AH12622H	$12.80
55, 65.....	AH20490H	14.91	AH20491H	14.91
95, 96 (Up to 1964).....	AH12631H	16.59	AH12632H	16.59
(1964 & Up).....	AH20459H	16.86	AH20463H	16.86
105.....	AH16573H	23.68	AH16574H	23.68

COMBINE LIFTING GUARDS

Save down, badly lodged or tangled crops by equipping your combine with John Deere Lifting Guards. Designed with sufficient strength to withstand field shocks, their streamlined, adjustable points gently glide under and lift the crop so it can be cut . . . saving grain which would otherwise be lost. Buy a set and have them on hand.

Combine	Part No.	Price
12A, 25.....	AP15006H	$5.63
30, 40, 42, 45, 55, 65, 95, 105.....	AH20450H	5.63

COMBINE PARTS

CELL-TYPE CONCAVE GRATES
Complete with Attaching Parts

20% more output at 1/2 to 3/4 gear faster ground speed—that's the cell-type grate story. Update your combine before harvest—the extra acres and bonus bushels you'll get add up fast.

Combine	Rasp Bar w/Att. Parts	Price	Spike Tooth w/Att. Parts	Price
40, 42	AH61835	$35.60	AH61833	$36.86
45	AH61836	37.17	AH61834	37.70
55 (Ser. No. 12051 and Up), 65	AH61837	41.74	AH61830	35.75
95, 95H, 96	AH61838	47.93	AH61831	46.57
105	AH61839	59.75	AH61832	59.54

COMBINE CYLINDER DRIVE CHAINS



Save time. Replace worn or lost drive chains with a ready-made chain that is complete with coupler links ready for fast installation.

Combine	Chain	Price
45 (3/4" Pitch)	AP22963H	$11.25
55, 65, 95, 105	AP18352H (U.S.)	32.95
	AH19191H (Import)	25.55

PLATFORM AUGER AND BEATER FINGERS

Replace those worn and broken fingers to insure positive feeding and more efficient separation. Buy a supply of fingers now and have spares available for prompt replacement.

Combine	Description	Part No.	Price
40, 42, 45, 65, 96 (All)	Complete Finger	AH21427H	$1.62
55, 95, 105 (through 1963)	Finger, Only	H33879H	.35
55, 95, 105 (1964 and Up)	Complete Finger, Auger	AH20348H	1.73
	Finger, Only	H34595H	.35
	Complete Finger, Feeder	AH20003H	2.01
	Finger, Only	H33879H	.35
All Combines	Nut, Finger	14H856	.03

"Only Genuine John Deere Parts Fit and Wear Like the Originals"

FEEDER AND GRAIN CONVEYOR CHAINS



Do your combining job better by replacing complete, worn chains or broken links. This will insure even distribution of grains to the cylinder and beaters. Complete with coupler link for easy installation.

FEEDER CONVEYOR CHAINS

Combine	Chain w/ Slats	Price	Slat w/ Links	Price
30	AP24510H	$49.34	*P49438H	$2.05
40, 42	AH18594H	34.73	AH20476H	1.70
45 (Steel Type)	AH12880H	49.85	AH12633H	1.95
55 Steel Type, up to Ser. 12051)	AP19412H	84.60	AP20292H	1.70
55 (445 Steel, 12051-13550)	AP20899H	76.75	AP20845H	2.85
55 (445 Steel, PF13551-PF60000)	AH15852H	45.85	AP20845H	2.85
55 (662 Steel, PF60001-PF69000)	AH15852H	45.85	AH15899H	2.05
55 (Roller Type, PF57001-PF69000)	AH19410H	47.15	*H31692H	1.58
55 (Roller Type, FH501 and Up)	AH19988H	51.60	*H31692H	1.58
65 (Steel Type)	AH15852H	45.85	AH15899H	2.05
65 (Roller Type)	AH19410H	47.15	*H31692H	1.58
95 (445 Steel, Up to Ser. PF12501)	AH15855H	50.45	AH11231H	2.90
95 (662 Steel, PF12501-PF20000)	AH15855H	50.45	AH15898H	2.50
95 (Roller Type, PF12501-PF20000)	AH18785H	54.40	*H31382H	2.81
95 (Roller Type, FH501 and Up)	AH20002H	59.90	*H31382H	2.81
96 (662 Steel, Up to Ser. 1501)	AH15855H	50.45	AH15898H	2.50
96 (Roller Type, 1501 and Up)	AH20002H	59.90	*H31382H	2.81
105 (662 Steel, Up to PF1801)	AH18788H	76.50	AH16464H	3.65
105 (Roller Type, PF1251-PF3000)	AH18788H	76.50	*H32023H	3.52
105 (Roller Type, FH501 and Up)	AH20012H	83.20	*H32023H	3.52

*Slat Only

GRAIN CONVEYOR CHAINS

Combine	Chain w/ Slats	Price	Slat	Price
12A, 25, 30	AP15480H	$25.97	AP15482H	$1.59
40, 42	AH13914H	28.09	H25063H	1.27
45	AP26531H	25.56	P50964H	1.52
55, 65 (Through 1963)	AP20876H	33.82	P44486H	1.10
55, 65 (1960 and Up)	•AH62656	71.70	H36448H	1.68
95, 96 (Through 1963)	AH17607H	55.65	H31576H	3.24
95, 96 (1960 and Up)	•AH21776H	67.20	H36451H	2.52
105 (Through 1963)	AH17608H	66.78	H30733H	3.68
105 (All)	•AH21779H	93.30	H36454H	3.01

• Roller-Type Chain

COMBINE BELT PICKUP TEETH

Replace those broken or lost spring teeth with Genuine John Deere Spring Teeth for cleaner pickup work and longer service life. Buy several; keep spares on hand.

Part No.	Description	Price
P45961H	Pickup Finger	22¢
AP23731H	Bolt for Finger	9¢

COMBINE PICKUP BELTS

Need a complete pickup belt with fingers? Select the size needed and be ready to go at harvest time.

Combine	Size	Belt	Price
12A, 25, 40, 42, 45	20"	AP22087H	$31.60
12A, 25, 30, 40, 55, 65, 95, 96, 105	22"	AP22298H	35.65

GRAIN ELEVATOR CONVEYOR CHAINS



These complete chains have rubber paddles riveted to the links. Keep your chains in top load carrying capacity by replacing complete chains or worn paddles.

TAILINGS ELEVATOR

Combine	Chain Cpt.	Price	Paddle	Price
12A, 25, 30	AP18862H	$ 9.91	AP18914H	29¢
40, 42	AH14024H	16.59	AP23393H	29¢
45 (Through 1963)	AP22829H	14.47	AP23393H	29¢
45 (1964 and Up)	AH20159H	15.31	AP23393H	29¢
55, 65, 95 (Up to 1960)	AP17779H	16.48	AP17780H	33¢
55, 65, 95, 96, 105 (1960 and Up)	AH12846H	14.42	AP17780H	33¢
55, 65, 95, 96, 105 Roller Type	AH19972H	50.50	H33808H	18¢

CLEAN GRAIN ELEVATOR

Combine	Chain Cpt.	Price	Paddle	Price
12A (Up to 1949)	AP18863H	$10.02	AP18914H	29¢
12A After 1949	AP18864H	12.24	AP18914H	29¢
25, 30	AP18864H	12.24	AP18914H	29¢
40, 42	AH14342H	14.52	AP23393H	29¢
45 (Up to Ser. No. 21501)	AP22821H	20.72	AP23393H	29¢
45 (After Ser. No. 21500)	AH13337H	15.48	AP17780H	33¢
55 (Up to Ser. No. 51001)	AP23975H	21.94	AP17780H	33¢
55 (Ser. No. 51001-83000)	AH12836H	17.54	AP17780H	33¢
55 (After Ser. No. 83000) (Short Elevator)	AH12836H	17.54	AP17780H	33¢
55 (After Ser. No. 83000) (Long Elevator)	AH64389	21.90	AP17780H	33¢
65 (Up to Ser. No. 11001)	AP23975H	21.94	AP17780H	33¢
65 (After Ser. No. 11000)	AH12836H	17.54	AP17780H	33¢
95 (Up to Ser. No. 9001)	AH10319H	24.80	AP17780H	33¢
95 (Ser. No. 9001-20000)	AH12836H	17.54	AP17780H	33¢
95 (Ser. No. 20001-35000)	AH20437H	31.27	AH17094H	50¢
95 (After Ser. No. 35000) (Short Elevator)	AH20437H	31.27	AH17094H	50¢
95 (After Ser. No. 35000) (Long Elevator)	AH64375	30.10	AH17094H	50¢
96 (Up to Ser. No. 1501)	AH12836H	17.54	AP17780H	33¢
96 (After Ser. No. 1500)	AH20437H	31.27	AH17094H	50¢
105 (Up to Ser. No. 10001)	AH16348H	28.30	AH17094H	50¢
105 (After Ser. No. 10000) (Short Elevator)	AH16348H	28.30	AH17094H	50¢
105 (After Ser. No. 10000) (Long Elevator)	AH64369	31.20	AH17094H	50¢

ROLLER-TYPE CHAIN

Combine	Chain Cpt.	Price	Chain Extension (Long Elevator)	Price	Paddle	Price
55, 65 (1960-1966)	AH19963H	$50.65	.....	$	H33805H	75¢
55 (1967 and Up)						
55 (Short Elevator)	AH19963H	50.65	.....	....	H33805H	75¢
55 (Long Elevator)	AH19963H	50.65	AH60898	10.90	H33805H	75¢
95, 96 (1960-1963)	AH19963H	50.65	.....	....	H33805H	75¢
95, 96 (1964-1966)	AH19965H	54.75	.....	....	H33807H	28¢
95 (1967 and Up)						
95 (Short Elevator)	AH19965H	54.75	.....	....	H33807H	28¢
95 (Long Elevator)	AH19965H	54.75	AH60902	11.45	H33807H	28¢
105 (Up to 1967)	AH19970H	66.10	.....	....	H33807H	28¢
105 (1967 and Up)						
105 (Short Elevator)	AH19970H	66.10	.....	....	H33807H	28¢
105 (Long Elevator)	AH19970H	66.10	AH60902	11.45	H33807H	28¢

WINDROWER KNIVES

Regular . . . chromed

Don't waste harvest time with field stops due to a badly worn knife. Install a new John Deere Knife before harvest. All knives are with knife head, double knife back and sharp cutting, serrated sections. Keep a spare on hand.

Windrower	Size, Feet	Knife	Price	Section	Price
Self-Propelled	10	AH12769H	$32.71	P49650H	$22.17
	14	AH12770H	43.20	P49650H	22.17
	16	AH12771H	48.42	P49650H	22.17
215, 215A	10	AH16791H	43.59	H30171H	26.20
	12	AH16846H	49.37	H30171H	26.20
	14	AH16867H	55.16	H30171H	26.20
	16	AH16892H	60.93	H30171H	26.20
190	..	AW11239W	63.32	H29680H	29.20

WINDROWER GUARDS

Two tine . . . three tine

These self-sharpening, extra-durable guards are streamlined for better penetration and precision cutting. These guards are forged steel for extra strength and require no guard plate. Single forged-steel mower guards **AZ2131H** ($2.20 each) are available for extremely rocky conditions.

Windrower	Feet	Double	Price	Triple	Price
Self-Propelled	10, 12, 16	H28077H	$2.37	H25603H	$3.09
	14	.....	....	H25603H	3.09
215, 215A	All	E33940	2.59	.....	....
190	All	H61954	2.18	.....	....

SELF-PROPELLED WINDROWER CANVASES AND SLATS

Check your canvases and slats now ahead of the season. See us for canvases that are made to exact measurements, will run straight and provide long windrowing life.

Model	Canvas Regular	Price	Rubberized	Price
10′, S.P.	.....	.....	AH11237H	$27.73
12′, S.P.	.....	.....	AH14830H	34.56
14′, S.P.	.....	.....	AP26590H	37.28
16′, S.P. R.H.	.....	.....	AH11235H	47.21
16′, S.P. L.H.	.....	.....	AP26590H	37.28
215 and 215A 10′	AH16810H	$31.33	AH18490H	34.50
215 and 215A 12′	AH16848H	39.07	AH18491H	44.17
215 and 215A 14′	AH16869H	31.50	AH18492H	51.90
215 and 215A 16′	AH16894H	55.39	AH18493H	58.39

The canvases above use **P49856H** slat—**80¢**

Model and Description	Canvas	Price
190 Long Platform	AW11643W	$ 99.52
190 Long Double—Swath	AW11645W	107.53
190 Long Double—Swath Ext.	AW11647W	49.57
190 Short Inner	AW11644W	36.46
190 Extension	AW11646W	32.53

The canvases for 190 Windrowers use **W13667W** slat—**30¢**

MILL, SHELLER, SILO UNLOADER AND GRINDER-MIXER PARTS

HAMMERS FOR MILLS AND SILO UNLOADERS

For efficient, economical performance year after year, replace worn hammers. This will give you greater savings on feed-making jobs . . . and faster, easier, more profitable feed grinding. Hammers are reversible for double life, can be resharpened, and are available in matched sets.

Mill		Hammer Sets	Price
6		J16789C	$ 5.86
10, 10A, 110, 110A (Set of 18)	Regular	J15304C	11.28
	Hard Surface	J15884C	29.22
14, 114, 114A (Set of 30)	Regular	J15583C	17.99
	Hard Surface	J15885C	48.00

Silo Unloader		Knives	Price
900	(Set of 25 C16244)	AC14624	19.16
	(Set of 25 C18020 Curved)	AC15045	22.78



MILL AND GRINDER MIXER SCREENS

A complete selection of easy-to-change screens is available for preparing feed for practically any requirement. See us for the screens needed.

FEEDER DRAG CHAIN FOR No. 6 SHELLER

$66.50

Replace that worn or broken drag chain now with **L585C,** complete chain and flight assembly ready for immediate installation. Long-wearing malleable 62 links and riveted heavy-duty steel flights make up this dependable assembly.

DUST TUBES FOR SHELLERS

Replace that worn dust tube now. Two types are available—the economical canvas type or long-wearing nylon.

Sheller	Description	Tube	Price
6	Canvas (16-Foot)	L1807C	$33.22
6	Nylon (23-Foot)	C14107C	84.78
6	Clamp for Dust Tube	S5302C	.84
6, 7, 71	Bolt, Clamp, ¼" x 1¼" Rd. Hd.	21H1048	.03
6, 7, 71	Nut, Clamp Bolt, ¼"	14H786	100/.90
7, 71	Canvas	J19413C	21.98
7, 71	Clamp, for Dust Tube	S5314C	.74

SPREADER PARTS

SPREADER BEATER BARS AND TEETH

Keep your spreader in full-capacity operating condition by replacing those broken or worn beater bars and teeth. Your spreader will do a better job of shredding the manure and distributing it evenly. The heavy-duty (½-inch) teeth have blunt ends to provide more aggressive tearing action.



Spreader	Lower Beater Bar w/Teeth	Price	Upper Beater Bar w/Teeth	Price	Tooth, Only	Price
H, HH, K	AC10490C (Nos. 1, 4)	$3.43	J16523C (Nos. 1, 3)	$ 3.44	J16519C	40¢
	AC10491C (Nos. 2, 5)	3.43	J16524C (Nos. 2, 4)	3.44		
	AC10492C (Nos. 3, 6)	3.43				
L, M, R, W	AC10490C (Nos. 1, 4)	3.43	J18682C (Nos. 1, 3)	3.60	J16519C	40¢
	AC10491C (Nos. 2, 5)	3.43	J18683C (Nos. 2, 4)	3.60		
	AC10492C (Nos. 3, 6)	3.43				
N	J19383C (Nos. 1, 4)	4.23	J19381C (Nos. 1, 3)	4.23	J16519C	40¢
	J19384C (Nos. 2, 5)	4.23	J19381C (Nos. 2, 4)	4.23		
	J19385C (Nos. 3, 6)	4.23				
44	AC12929C	8.45			AC12947C	57¢
			AC12930C	10.14	AC12948C	62¢

CONVEYOR CHAINS AND SLATS FOR SPREADERS AND CHUCK WAGONS

Spread more manure faster by replacing complete chains or those broken slats. This will insure more even feeding into the beaters and prevent costly field stops.

Spreader	Heavy-Duty Chain w/Slats	Heavy-Duty Price	Heavy-Duty Slat w/Links	Heavy-Duty Price	Regular Chain w/Slats	Regular Price	Regular Slat w/Links	Regular Price
H, HH, K, L, M					J11597C	$ 32.12	J11610C	$1.44
N	AC15054	$ 97.82	AC15051	$3.03	J19759C	49.82	J19760C	1.61
R, W	AC15047	90.26	AC15046	2.60	J19844C	45.47	J19819C	1.59
33	AC15061	104.19	AC15060	3.79	AC11860C	64.13	AC11882C	1.99
44					AC15050	128.59	AC15060	3.79
CHUCK WAGON								
112 Main Conveyor					AC12016C	79.54	AC11984C	2.70
115 Main Conveyor					AC12034C	91.48	AC11984C	2.70
112, 115 Cross Conveyor					AC11948C	81.70	AC11983C	2.40
FORAGE WAGON								
214 Main Conveyor					AC14904	$ 81.15	AC11984C	2.70
216 Main Conveyor					AC14993	103.65	AC11984C	2.70
214, 216 Cross Conveyor					AC14981	71.95	AC14972	3.25
214, 216 Cross Conveyor Elevating Extension					AC14977	18.45	AC14972	3.25
214, 216 Cross Conveyor Extension					AC14979	5.90	AC14972	3.25

GATHERER CHAINS

John Deere Gatherer Chains are big capacity and long wearing with self-cleaning lugs. Two types—detachable link and roller—are available for pickers. The roller-types have greater strength, longer life, less stretch, more load-carrying capacity and smoother, quieter running with less wear.

Picker	Description	Detachable Link	Price	Roller Type	Price
18	Lower, Inner	AN12619N	$5.57	.....	.....
	Upper, Inner	AN12621N	6.77	.....	.....
	Outer	AN12620N	9.66	.....	.....
127, 227 Prior to 1962	Inner (2)	.....	....	AN12016N	$10.30
	Outer	.....	....	AN12017N	9.30
127, 227 1962 & After	Inner (2)	.....	....	AN11916N	10.10
	Outer	.....	....	AN11917N	8.75
237	Lower, Outer	.....	....	AN12295N	8.40
	Upper, Outer	.....	....	AN11917N	8.75
	Inner (2)	.....	....	AN12391N	11.10

Corn Attachment		Chain	Price	Corn Attachment		Chain	Price
10	Inner	AJ10444N	$ 5.30	210, 410	Outer	AN10889N	$14.50
	Outer (2)	AN11947N	18.45		Inner	AJ10444N	5.30
205	Inner	AN11224N	6.00	234, 334, 434	.....	AN100651	16.73
	Outer	AN11226N	10.10				

SPIRAL TYPE

LUG TYPE

SNAPPING ROLLS

Furnished Complete with Gudgeons

Shelling losses mean profit losses. The new spiral fluted snapping rolls cut shelling loss in half. They are smoothly aggressive with stalks, yet gentle with ears. The smooth spiral ribs act like a built-in snapping bar shielding ears from damage. Any reluctant stalks are forced through by the high lugs and cams at the top of the roll. Regular equipment on new pickers—can be installed on older pickers. Lug-type are still available for extreme picking conditions requiring unusual aggressiveness.

Picker	Lug Type				Spiral Type			
	Inner	Price	Outer	Price	Inner	Price	Outer	Price
18	AN10562N	$27.78	AN10563N	$28.99	AN100000	$41.46	AN100001	$41.46
127	AN11483N	34.43	AJ9235N	36.76	AN11695N	35.18	AN12513N	42.22
227 R.H.	AN11482N	34.43	AJ9234N	36.76	AN11694N	35.18	AN12512N	42.22
227 L.H.	AN11483N	34.43	AJ9235N	36.76	AN11695N	35.18	AN12513N	42.22
237 R.H.	.....	.....	.....	.....	AN12590N	44.30	AN12592N	43.96
237 L.H.	.....	.....	.....	.....	AN12591N	44.30	AN12593N	43.96

Corn Attachment	Snapping Roll				Stalk Roll			
	Inner	Price	Outer	Price			Part No.	Price
10 R.H.	AJ10496N	$40.91	AN11483N	$34.43	234, 334, 434	Shaft Driven	AN12834N	$29.16
10 L.H.	AJ9234N	36.76	AJ10497N	44.71		Shaft, Drive	AN12835N	30.72
205 R.H.	AN11216N	30.59	AN11217N	30.59		Flute	N14355N	4.97
205 L.H.	AN11218N	30.59	AN11219N	30.79				
210, 410 R.H.	AN10880N	40.09	AN10879N	39.18				
210, 410 L.H.	AN10881N	38.27	AN10882N	40.98				

RUBBER HUSKING ROLLS

Faster, cleaner husking; less mutilation of ears—better crib sample; good work longer—husk more acres; less clogging—save time, money, and wear; solid rubber construction with steel core; these are the features of John Deere Rubber Husking Rolls.

Picker	Smooth	Price	Spiral	Price
18	.....	.....	AN10650N	$15.72
127, 227		$17.12	AJ9930N, R.H.	15.72
			AJ9931N, L.H.	15.72
327 (Cast Iron)	.....	.....	AN12232N, R.H.	39.54
			AN12233N, L.H.	39.54

TIRE CARCASS TYPE HUSKING ROLLS

Serrated . . . smooth

These tire carcass type rolls are designed for conditions requiring more aggressive husking. They are especially effective in dry trashy fields. They are completely interchangeable with with the rubber husking rolls.

Picker	Serrated	Price	Smooth	Price
18	.....	.....	AN10632N	$14.50
127, 227	AN10144N	$15.96	AN10143N	15.96
237	AN12234N	16.16	.....	.....

COTTON PICKER PARTS

LUBRICANT FOR COTTON PICKER SPINDLES

John Deere Spindle Lube provides dependable lubrication; picker runs cooler, smoother and quiet. Less down time—more cotton picked.

Part No.	Price
AN30032N (40 lb. Can)	$ 8.80
AN31360N (120 lb. Drum)	25.20
AN31573N (230 lb. Drum)	46.00
AN31361N (410 lb. Drum)	77.90



WETTING AGENT

For cotton pickers

Adding a wetting agent to the water in the moistening system permits using less water for cleaning spindles—resulting in dryer and better grading of cotton.

1-Gal.	Price	5-Gal.	Price
AN30975N	$3.00	AL1112N	$14.50



DURA-CUSHION DOFFERS

These doffer plates are made of light, tough cast aluminum with wide lugs bonded to the plate for longer wear. Higher speed is permitted for a faster, cleaner doffing action. Dura-Cushion Doffers are flexible, reducing wear on the outer edge.

Doffer	New Price	Exch. Price
AN110089 New	$2.70	....
AN32011N Rebonded	2.09	$1.69

SPINDLE AND PARTS

For cotton pickers

John Deere Spindles are hardened by a controlled process which allows more precise and sharper barbs—cleaner cotton in basket and field, and better grading at the gin.

Spindle	Price	Nut/Bushing	Price
N30002N, R.H.	85¢	AN30984N, R.H.	81¢
N30003N, L.H.	85¢	AN30985N, L.H.	81¢
Dust Collar		L2804N Plain Bushing	14¢
N31841N	11¢	L2805N Flanged Bushing	14¢

95¢

L2456N Bearing Type

L2437N Regular Type

SPINDLE MOISTENER PADS

John Deere Moistener Pads are molded from oils and wetting-agent-resistant rubber. Toughness is incorporated for longer life and cleaner spindles. Ask for **L2711N.**

SPINDLE GEARS

These spindle drive gears are manufactured to close tolerances to insure proper fit; are heat treated for long wear.

Gear	Description	Price
L2437N	Regular Type	69¢
L2456N	Bearing Type	95¢

POTATO DIGGER AND BEET HARVESTER PARTS

BEET HARVESTER RAKE WHEEL TEETH

High-quality spring steel teeth **N7403DN**, 9 per wheel, **$1.97** each) and flexible rubber teeth (**ND2757DN**, 16 per wheel, **$1.00** each) are available for the 100 harvester and 210 Topping Unit. Replace those broken or lost teeth now with genuine John Deere.

BEET HARVESTER FLAILS AND PADDLES

These are heavy-duty flails with specific design to give long wear and outstanding shredding action even in severe conditions. A sturdy bolt mounting is used for greater durability.

Model	Serial No.	Flail	Price
223	(—502)	N72132N	$1.96
	(503—)	N72473N (Paddle)	2.89



CHAINS

Each link is manufactured to close dimension tolerances for maximum bearing area. This assures uniform, straight chain assemblies that run true. The hooks at the ends of the links are precisely shaped to prevent fatigue breakage, and correctly offset to reduce side-to-side slippage between links. This John Deere design provides longer, more even wear.

We also stock shovels, shaker sprockets, cone rollers, and bearings. See us for keeping your potato diggers and beet harvesters in tip-top operating condition.

Model	Assembly	Size, Link	Price	Link Projecting Up	Price	Link Projecting Down	Price
LEVEL-BED POTATO DIGGERS							
9′ 24″	ALB24FN	7/16″ x 23″	$66.79	Z243FN (64)	50¢	Z244FN (64)	50¢
9′ 26″	ALB25FN	7/16″ x 25″	72.40	Z764FN (64)	54¢	Z765FN (64)	54¢
DOUBLE LEVEL-BED POTATO DIGGERS							
235926, 26″ (2)	ALB25FN	7/16″ x 25″	72.40	Z764FN (64)	54¢	Z765FN (64)	54¢
30, 29″ (2)	ALB342DN	7/16″ x 29″	73.55	LB420DN (64)	55¢	LB421DN (65)	55¢

BEET HARVESTERS

Model	Link	Price	Model	Link	Price
100 Harvester Elevator	N5010DN (120)	44¢	No. 223 Unloading Elevator	N70317N (140)	63¢
100 Cart Elevator	N6519DN (190)	52¢	No. 223 Rear Elevator	N5009DN (141)	75¢
200 Vertical Elevator	N5009DN (98)	75¢	No. 223 Horizontal Elevator	N5009DN (37)	75¢
200 Truck Elevator	N5010N (126)	44¢			

GYRAMOR CLUTCH PLATES



Keep your Gyramor slip clutch in tip-top shape. Replace worn clutch plates to do a better job of cutting and for safety.

Power Hoe, Gyramor	Plate, Drive	Price	Plate, Driven	Price
All	AGY36W	$10.38	W10145W	$4.20

GYRAMOR BLADES AND BOLTS



Need new blades? See us for heat-treated, alloy-steel, dependable blades that turn wasteland growth into a fine mulch to protect new seedlings and conserve moisture without smothering grass. Each knife is carefully balanced to assure better, safer operation. Straight, suction or pickup blades are available to meet your job requirements. Extra heavy bolts anchor the blades.

Blades Gyramor	Straight	Price	Suction	Price	Pick-Up	Price	Bolt	Price
P107, 127, 307	AGY43W	$5.69	AGY44W	$5.82	AGY45W	$6.29	AGY82W Short	$ 6.80
							AGY83W Long	7.38
207, 227	AGY43W	5.69	AGY44W	5.82	AGY45W	6.29	AW10047W Short	6.80
							AW10048W Long	7.38
407	W12061W	4.91	W12062W	5.07	.....	....	AW10950W	6.80
507, 527	W11421W	6.13	.....	....	.....	....	AW10229W	2.08
707	W13582W	7.14	.....	....	.....	....	AW11741W	10.67

ACCESSORIES

TIRE PUMP $21.72

Pumps only clean, fresh, safe air

This pump works smoothly off the PTO shaft . . . gives long, dependable service. It saves time, hard work, and money by providing immediate air service when it is needed. There's no spark plug to remove; and there's no chance for oil or fuel sprays to damage tires, for only fresh, clean, safe air is pumped.

The simplicity of design and low upkeep costs mean many years of service. Buy a John Deere Tire Pump on your next trip. Ask for part number **J15373C**—it fits any tractor with 1⅜" spline PTO operating at 540 rpm. For tractors with 1,000 rpm, also order **C11102C ($5.96)** adaptor.

STORAGE PROTECTION KIT

Here's a kit for protecting engine, hydraulic and fuel systems from corrosion during storage. Included are the inhibitor, sealing bags, tape and the necessary instructions to keep your equipment in tip-top shape during storage.

Kit	Price
AR41785	$4.30

STEEL CHAIN DETACHER

$1.82

The steel chain detacher is a handy tool for detaching the required number of links from a roll of chain. It fits all sizes and can also be used for removing a chain from an implement while the chain is still on the sprocket. Part number **J1480H.**

SHEAR PINS AND BOLTS

For Spreaders, Auger Wagons and Chuck Wagons

Keep a supply of these shear pins and bolts on hand.

Description	Pin or Bolt	Price
33 Spreader	19H2102	3¢
68 Auger Wagon	C15069C	6¢
112, 115 Chuck Wagons Beater Clutch	AC11920C	81¢
112, 115 Chuck Wagons Main Drive Clutch	AC11949C	81¢
214-216 Forage Wagon, 900 Grinder Mixer	C17176	89¢

V-BELTS

John Deere V-Belts give maximum performance because they are designed for the application and are fully tested to meet the job requirements. Each belt is sized exactly to insure a better fit for longer service, a minimum of stretch and complete dependability. See us for top-quality belts that are time- and test-proved.

ROLLER CHAIN EXTRACTOR TOOLS



We have these two roller chain extractors for easily detaching the required number of links from a roll. Use of these tools eliminates difficulty in separating links and prevents damage to links.

Chain Pitch	Detacher	Price
¼" to ¾"	AH19087H	$ 6.10
¾" to 1¼"	AH19088H	12.20

ROLLER CHAINS AND LINKS

Make us your chain headquarters. A full selection of all roller and steel chain is available—assemblies or individual links.

Size	Pitch	10' Roll	Price	Roller Link	Price	Coupler Link	Price	Offset Link	Price
50	⅝"	*AH19192H	$13.60	*AH19246H	11¢	*AH19247H	15¢	*AH19248H	40¢
		†AP22459H	17.90	†P20350H	15¢	†P20351H	20¢	†P20352H	59¢
60	¾"	*AH19193H	18.25	*AH19249H	16¢	*AH19250H	21¢	*AH19251H	52¢
		†AP22460H	23.00	†B5234H	20¢	†B5235H	26¢	†B5321H	74¢

*Import †U.S.A.

STEEL CHAIN

Chain	Price/Link	10-Foot Roll	Price per Roll	Coupling Link	Price	Coupling Pin	Price	Cotter Pin for Coupling Pin	Price/100
32W	4¢	AH62685	$3.74	P34212H	41¢	.....	...	11H230	17¢
45	5¢	AH62691	3.74	P16703H	37¢	.....	...	11H206	35¢
52	6¢	AH62694	4.72	AW10426W	57¢	NN1654W	19¢	11H206	35¢
55	6¢	AH62697	4.04	AP26855H	37¢	P51435H	19¢	11H206	35¢
62	8¢	AH62699	5.62	AH16452H	46¢	H28800H	19¢	11H233	25¢
62H	10¢	AH62701	6.85	AN11813N	78¢	N13040N	19¢	11H233	25¢
67H	15¢	AH62704	7.72	AJ9977N	86¢	J20257N	19¢	11H234	38¢
667H	...	.....	....	667H	28¢	AC12193C	18¢	.....	...

LOCTITE SEALANT

John Deere Loctite Sealant is a free-flowing liquid plastic that keeps nuts tight and is especially effective on crawler track bolts. It can also be used to seal fuel line connections, hydraulic fittings, and close-fitting metal joints. Buy some Loctite Sealant and stop troublesome breakdowns.

Sealant		Price
AT14927T	2 cc	$ .71
AT24538	10 cc	2.18
AT14264T	50 cc	7.80

CLEVISES AND RINGS



Buy clevises designed for the job . . . John Deere Clevises. They fit right and last longer . . . extra strong to hold their shape.

Type	Size	Part No.	Price
Lap Ring	13/16″ x 5-3/4″	30224A	$5.76
Draft Link	7/8″ x 8-1/4″	DA2050A	3.52
Clevis, Straight	5/8″ x 4-1/2″	DA2718A	2.82
Clevis, Straight	3/4″ x 5-3/4″	DA2993A	3.19
Clevis, Straight	3/4″ x 6″	DA3733A	4.07
Clevis, Straight	1″ x 6-1/2″	DA3035A	5.74
Clevis, Twisted	3/4″ x 6-1/2″	DA2918A	3.13
Clevis, Twisted	13/16″ x 9″	DA5334A	6.80

TOOL BOX

$15.23

This rugged, go-anywhere case keeps your tools handy and well protected . . . lets you take them with you to the job. It has full-length-hinged cover, convenient lift-out tray, roomy, watertight compartment, secure, finger-grooved handle, and hasp for locking. Made of 18-gauge steel with black finish. Size: 19 x 6 x 6 inches. Part number including tray **AT22070.**

SPRING LOCKING PINS

Snap! It's on . . . no effort, no tools required. Keep a supply of John Deere Spring Locking Pins on hand at all times. Check the chart below for the correct size needed.

Size, Inches Length	Diameter	Part No.	Price
1-9/32	3/32	J16931N	3¢
2-1/4	3/32	M40461M	8¢
1-1/2	1/8	A5067R	18¢
2-1/2	1/8	S2955DW	18¢
1-9/32	9/64	S2325M	13¢
2-11/16	9/64	28316A	16¢
1-9/16	5/32	N2023M	16¢
2-1/8	5/32	S662M	16¢
3-3/8	11/64	Q23896K	16¢
3-11/16	11/64	F2830R	42¢
2-7/8	3/16	A3581R	29¢
2-3/4	1/4	B10585B	77¢
4-5/8	1/4	M41728	61¢

SPRING LOCKING PINS 95¢

Fourteen pins of five popular sizes are included in this package. All pins are plated to prevent rust and corrosion. Keep a supply on hand. Ask for **AA14713.**



QUIK-LOCK PINS

Self-locking pins . . . easily attached or detached.

Description	Part No.	Price
Pin (3/16″ Dia.)	B15648B	22¢
Pin (1/4″ Dia.)	B11182B	29¢
Pin (5/16″ Dia.)	AR26556R	32¢
Pin (7/16″ Dia.)	DA5883A	32¢
Pin with Chain (7/16″ Dia.)	AM1909T	47¢

PUMP OILERS $1.47

All purpose . . . hydraulic types

Six ounce and three-quarter pint oilers are available; deliver a drop or full stream depending on the pressure applied. Available in John Deere colors to match your equipment.



All-Purpose Oilers (6 oz. capacity)	Hydraulic Pump Oilers (3/4 pint capacity)
JD93 John Deere Green	JD91 John Deere Green
JD94 Industrial Yellow	JD92 Industrial Yellow

BOLTS, CAPSCREWS, NUTS, WASHERS, COTTER PINS, AND WOODRUFF KEYS

See us for a complete line of bolts and nuts. Only "Best Available" are stocked. You are protected in all John Deere applications. Don't use ordinary bolts that could cause expensive service bills—use the bolt specified for the job. Just a few of the popular sizes are shown here—we have a large assortment of fasteners for your complete tractor and equipment needs.



CAP SCREWS

Dia.	Length	Part No.	Price
1/4	1	19H1914	2¢
1/4	1-1/2	19H1898	3¢
1/4	2	19H1996	3¢
1/4	3	19H2151	5¢
5/16	1	19H1905	3¢
5/16	2	19H1901	4¢
5/16	3	19H1904	7¢
3/8	1	19H1731	4¢
3/8	1-1/2	19H1800	5¢
3/8	2	19H1801	5¢
3/8	2-1/2	19H1733	6¢
3/8	3	19H2128	7¢
3/8	3-1/2	19H1912	9¢
3/8	4	19H2228	12¢
3/8	5	19H2104	17¢
7/16	1-1/2	19H1978	6¢
7/16	2	19H1899	8¢
7/16	2-1/2	19H2227	9¢
7/16	3	19H2347	10¢
7/16	4	19H1828	15¢
7/16	5	19H2348	20¢
1/2	1-1/2	19H1721	8¢
1/2	2	19H1831	10¢
1/2	2-1/2	19H1930	10¢
1/2	3	19H1820	13¢
1/2	3-1/2	19H1781	16¢
1/2	4	19H1992	17¢
1/2	5	19H2211	24¢
5/8	1-1/2	19H1756	17¢
5/8	2	19H1734	19¢
5/8	2-1/2	19H1847	22¢
5/8	3	19H1863	25¢
5/8	4-1/2	19H2133	34¢
5/8	5	19H2076	37¢

CARRIAGE BOLTS

Dia.	Length	Part No.	Price
1/4	1-1/4	3H1527	3¢
1/4	2	3H1814	3¢
1/4	3	3H1818	4¢
5/16	1-1/2	3H1825	4¢
5/16	2	3H1515	5¢
5/16	3	3H1506	6¢
5/16	4	3H1828	7¢
3/8	1-1/2	3H1558	6¢
3/8	2	3H1834	6¢
3/8	3	3H1565	8¢
1/2	2	3H1492	11¢
1/2	3	3H1596	14¢
1/2	4	3H1852	16¢

HEX. NUTS



Dia.	Part No.	Price
1/4	14H786	100/90¢
5/16	14H785	2¢
3/8	14H812	2¢
7/16	14H813	3¢
1/2	14H809	4¢
5/8	14H760	7¢

"Only Genuine John Deere Parts Fit and Wear Like the Originals"

WING NUTS

Dia.	Part No.	Price
1/4	14H844	7¢
5/16	14H819	8¢
3/8	14H827	11¢
7/16	14H899	16¢
5/8	14H840	87¢

LOCK WASHERS



Dia.	Part No.	Price
1/4	12H302	100/43¢
5/16	12H303	100/72¢
3/8	12H304	100/96¢
7/16	12H293	2¢
1/2	12H301	2¢
5/8	12H294	3¢

STEEL WASHERS



Diameter Inside	Diameter Outside	Thickness	Part No.	Price
5/32	3/8	.048	24H1281	100/43¢
7/32	1/2	.048	24H1283	100/44¢
11/32	11/16	.060	24H1136	1¢
3/8	7/8	.075	24H1122	2¢
7/16	1	.075	24H1219	2¢
1/2	1-1/4	.075	24H1226	3¢
9/16	1-3/8	.105	24H1211	5¢
5/8	1-1/2	.105	24H1360	5¢
11/16	1-3/4	.134	24H1106	9¢
13/16	2	.149	24H1236	11¢
15/16	2-1/4	.164	24H1220	12¢
1-1/16	2-1/2	.164	24H1197	13¢

SPRING-STEEL PINS $2.50

This spring-steel pin assortment contains a total of forty-five pins—17 popular sizes. All pins are plated to prevent rust and corrosion. Buy a package now. Ask for **AA14518.**

COTTER PINS 99¢

This assortment of cotter pins contains 50 pieces of the 13 popular sizes. All pins are plated with the offset chisel point for easy insertion and spreading. The handy plastic container easily identifies the quantity on hand. Ask for **AA11752A.**

ASSORTED HARDWARE

Have hardware when you need it. Keep a supply handy. All sizes are identified to save time.

Part No.		Price
AA11888A	90 Assorted Flat Washers	$ .99
AA11889A	90 Assorted Lock Washers	.99
AA11890A	50 Assorted Hex Nuts	1.22
AA11891A	50 Assorted Machine Screws w/Hex. Nuts	1.11
AA11892A	82 Assorted Woodruff Keys	2.23

GREASE FITTINGS

Keep a supply of these popular fittings on hand for quick replacement.

Size and Type	Part No.	Price
1/4"-28, Short Thread, Straight	JD7797	9¢
1/8", Pipe Thread, Straight	JD7759	9¢
1/8", Pipe Thread, 30°	JD7778	19¢
1/8", Pipe Thread, 67-1/2°	JD7760	19¢
1/8", Pipe Thread, 90°	JD7789	41¢

PAINT

Prolong equipment life and help prevent rust damage by repainting with original equipment colors. Genuine John Deere Paint will match the original in color and durability; it is the same high-quality product and yet is low in price.

The soft black coating was developed for protecting plow bottoms, sweeps, coulters, etc., to eliminate the need for applying grease or oil to preserve the land polish. It's easy to apply, comes off slick as a whistle, and parts scour clean.

The paint and decal remover is ready to use as comes from the can. It is an easy, fast, safe and clean method for removing paint, varnish, enamel and decals.

Color	Self-Spray	Price	Quart	Price	Gallon	Price
Green	PT60	$1.09	PT50	$1.45	PT150	$5.20
Yellow	PT61	1.09	PT51	1.65	PT151	6.01
Red	PT62	1.09	PT52	1.60	PT152	5.81
Thinner			PT58	.55	PT158	1.67
Ind. Yellow	PT59	1.09	PT57	2.01	PT157	7.44
Soft Black Coating	PT65	1.09	PT64	1.53	PT164	5.51
Touch-Up Black	PT67	1.09	.....		.....	
Paint and Decal Remover			PT68	1.84	PT168	6.73

JOHN DEERE TOYS

Scale-model John Deere Toys make inviting gifts for youngsters any time of the year. They're rugged, realistic . . . and they really work! Choose from pedal-driven Riding Tractor, matching trailer, 1/16 scale tractors and implements, multiple-toy sets.

- Riding Tractor No. 532
- Trailer for Riding Tractor No. 535
- Row-Crop Tractor (without hitch) No. 530 **(shown above)**
- Row-Crop Tractor (with hitch) No. 531
- Row-Crop Tractor (with large rear wheels) No. 541
- Wide-Front-Axle Tractor No. 547
- Lawn and Garden Tractor No. 538
- Drawn Plow No. 527
- Disk Harrow No. 528
- Wagon No. 529 **(shown above)**
- Chuck Wagon No. 533
- Manure Spreader No. 534
- Corn Planter No. 539
- Dumpcart for Lawn and Garden Tractor No. 542
- Lawn and Garden Tractor/Dumpcart Set No. 543
- Bulldozer No. 540
- Hay Baler with Ejector No. 545
- Mower No. 546
- Deluxe Farm Set No. 536 (Tractor, Plow, Wagon, and Harrow)
- Tractor/Wagon Set No. 537
- Minimum-Tillage Set No. 544 (Tractor, Planter, and Harrow)

SIX NEW SERVICE ITEMS

Cooling System Cleaner with Detergent
This two-step, cleaning and conditioning compound quickly dissolves and removes rust, scale, grease and sludge from radiators and engine blocks. Make removal of residue faster and easier.

PT500 .....$1.23

Penetrating Oil Spray
Fine-quality ingredients permit this oil to penetrate tight, hard-to-crack joints. Spray it on . . . frozen nuts, bolts, and other such parts are freed. It is easy to apply and there's no offensive odor.

PT501 .....98¢

Liquid Gasket Maker (Brush-on Type)
This general-purpose gasket maker forms a non-hardening elastic seal which prevents seepage, seizure and loss of pressure. It is resistant to heat and solvents and the effects of gasoline and oil.

PT502 .....74¢

Carburetor Cleaner and Engine Conditioner

This modern, high-quality product solves annoying carburetor and mechanical problems. It removes engine and fuel system deposits that can cause stalling, rough idling, and high fuel consumption. "Lost" power is restored.

PT503 .....$1.25

Cooling System Sealer
Here's a fast-acting, quality liquid to permanently seal leaks in radiator and engine blocks. It includes rust inhibitor and withstands high cooling system pressures. It's easy to use and non-injurious to parts.

PT504 .....55¢

Vinyl Electrical Tape
More strength with less bulk gives this tape the advantage over others. It adheres quickly to irregular shapes and surfaces . . . resists scuffs and punctures. There are three sizes to choose from . . . most prefer the large roll with the cutter bar dispenser.

Roll of Tape	Price
TY5000 (½" x 150-inch)	$ .26
TY5001 (¾" x 20')	.54
TY5002 (¾" x 66' with cutter-bar dispenser)	1.29

JOHN DEERE

Think equipment care NOW—
See us for fast, sure John Deere Service

To get a quicker start, fewer delays . . . to regain dependable, like-new performance — make a date now with our skilled service specialists. Ask about the John Deere Credit Plan; it eases the cost of service work.

With the compliments of your John Deere dealer

Dryden Implement, Inc.

DRYDEN • NEW YORK 13053

BULK RATE
U. S. POSTAGE
PAID
PERMIT No. 1
MOLINE, ILLINOIS

POSTMASTER—
If undeliverable, handle in accordance with P.M. 158.5 (b)

D-81-67-1 Litho in U.S.A.